

OHIO MEDICAL TRANSPORTATION BOARD

AMBULANCE INSPECTION FORM

SERVICE NAME: _____ SERVICE CODE: _____
6 DIGITS

REASON FOR INSPECTION:

NEW SERVICE _____ RENEWAL _____ NEW VEHICLE _____
 REINSPECTION _____ UNANNOUNCED _____ TEMP. PERMIT NUMBER _____

DESCRIPTION OF VEHICLE

OMTB VEHICLE DECAL NUMBER _____
LAST THREE DIGITS ONLY

YEAR _____ MAKE _____ MODEL _____ ODOMETER _____

VEHICLE IDENTIFICATION NUMBER (VIN) _____

LICENSE PLATE NUMBER _____ EMS _____ TEMP _____ OHIO _____ OUT OF STATE _____
ABBREVIATE STATE

LEVEL OF SERVICE

WHEN INSPECTED BASIC _____ INTERMEDIATE _____ PARAMEDIC _____

INSPECTION DATA

Date of Inspection _____ Inspector Name _____

	YES	NO	N/A
Was a violation notification issued for this vehicle?			
Is the copy of the Violation Notification attached to this form?			
Is a reinspection required?			

Inspector Signature _____

VEHICLE SAFETY INSPECTION

LIGHTING	YES	NO	N/A
High and Low Beam Headlights operational [OAC 4766-2-08(D)(1)(a)]			
Clearance, Marker lights, and Reflectors operational [OAC 4766-2-08(D)(1)(b)]			
High beam indicator light (on dashboard) operational [OAC 4766-2-08(D)(1)(c)]			
Dashboard lights and interior lights operational [OAC 4766-2-08(D)(1)(d)]			
Left and right tail lights operational [OAC 4766-2-08(D)(1)(e)]			
Left and right front turn signals operational [OAC 4766-2-08(D)(1)(f)]			
Left and right rear turn signals operational [OAC 4766-2-08(D)(1)(g)]			
Left and right brake lights operational [OAC 4766-2-08(D)(1)(h)]			
License plate light operational [OAC 4766-2-08(D)(1)(i)]			

LIGHTING	YES	NO	N/A
Back-up lights operational [OAC 4766-2-08(D)(1)(j)]			
Emergency Lighting Operational [OAC 4766-2-08(D)(1)(ii)]			

TIRES/WHEEL/BRAKES	YES	NO	N/A
Tread depth 1/16 in minimum on all tires [OAC 4766-2-08(D)(1)(l)]			
Tread and sidewall free of major deformities [OAC 4766-2-08(D)(1)(m)]			
Rims/wheels free of significant damage [OAC 4766-2-08(D)(1)(n)]			
Brake Pedal Travel 2/3 for non-assisted brakes [OAC 4766-2-08(D)(1)(p)(i)]			
Brake Pedal Travel 4/5 for power brakes [OAC 4766-2-08(D)(1)(p)(ii)]			
Emergency/parking brake operational [OAC 4766-2-08(D)(1)(q)]			

STEERING/SUSPENSION	YES	NO	N/A
Steering shaft secure; no more than 1/4 turn play [OAC 4766-2-08DB)(1)(v)]			
Power steering operational [OAC 4766-2-08(D)(1)(w)]			
Tires have full range of motion without rubbing [OAC 4766-2-8(D)(1)(o)]			
Shocks/Springs mounted and intact [OAC 4766-2-08(D)(1)(ff)]			
Air ride suspension properly inflates/deflates [OAC 4766-2-08(D)(1)(kk)]			

WINDSHIELD/WINDOWS/MIRRORS	YES	NO	N/A
Windshield without breach, unobstructed [OAC 4766-2-08(D)(1)(r)]			
Windshield wipers and washers operational [OAC 4766-2-08(D)(1)(s)]			
Windows without breach and consistent with OEM [OAC 4766-2-08(D)(1)(t)]			
Rear view mirrors without breach and IAW OEM [OAC 4766-2-08(D)(1)(x)]			

WARNING DEVICES	YES	NO	N/A
Horn operational and audible [OAC 4766-2-08(D)(1)(y)]			
Audible back up alarms operational [OAC 4766-2-08(D)(1)(k)]			
Siren Operable and audible [OAC 4766-2-08(D)(1)(jj)]			

MISCELLANEOUS	YES	NO	N/A
Driver and passenger safety belts operational [OAC 4766-2-08(D)(1)(dd)]			
Driver and passenger safety belts free of visible damage [OAC 4766-2-08(D)(1)(dd)]			
Seats securely fastened to floor [OAC 4766-2-08(D)(1)(aa)]			
Floor intact and free of holes [OAC 4766-2-08(D)(1)(bb)]			
Interior free of protrusions, trash, and debris [OAC 4766-2-08(D)(1)(cc)]			
Structural integrity without breach (body and frame) [OAC 4766-2-08(D)(1)(ee)]			
Heater, defroster, and A/C installed and operational [OAC 4766-2-08(D)(1)(z)]			
Exhaust System secured and without breach [OAC 4766-2-08(D)(1)(u)]			
Fuel tank free of leaks and securely mounted [OAC 4766-2-08(D)(1)(gg)]			
License plates front and rear [OAC 4766-2-08(D)(1)(hh)]			
Two-way communications with dispatch and medical control [OAC 4766-2-06(B)]			
Service name/logo permanently on vehicle [OAC 4766-2-08(D)(3)]			
Conformance placard, sticker, or affidavit [OAC 4766-2-08(D)(2)]			

AMBULANCE EQUIPMENT CHECKLIST

Disposable equipment is acceptable where applicable; equipment/supplies shall not be expired.

OXYGEN EQUIPMENT	YES	NO	N/A
Permanently installed main oxygen system (current hydrostatic testing) [OAC 4766-2-10(A)(1)]			
Permanent variable flow regulator (0-15 LPM minimum)(1) [OAC 4766-2-10(A)(2)]			
Two Portable oxygen tanks secured in appropriate Tank storage mechanism (minimum "D") [OAC 4766-2-10(A)(3)]			
One Portable variable flow regulator (0-15 LPM minimum) [OAC 4766-2-10(A)(4)]			
Bag mask resuscitator with reservoir capable of 100% oxygen flow (self-inflating) [OAC 4766-2-10(A)(5)]			
Transparent masks for bag mask resuscitator (Adult-Child-Infant)(1 each) OR (adult, combo child/pediatric) [OAC 4766-2-10(A)(6)]			
Transparent oxygen masks [Adult (2); Pediatric (2); Infant (2)] [OAC 4766-2-10(A)(7)]			
Nasal cannulas (Adult-Child)(2 each) [OAC 4766-2-10(A)(8)]			

SUCTION EQUIPMENT	YES	NO	N/A
Permanently installed suction unit [OAC 4766-2-10(B)(1)]			
Portable suction unit (powered or hand operated) [OAC 4766-2-10(B)(2)]			
Rigid pharyngeal curved suction catheters wide-bore tubing (2) [OAC 4766-2-10(B)(3)]			
Soft tip suction catheter (2 sizes)1 between 6.0 and 10 French and 1 between 12 and 16 French [OAC 4766-2-10(B)(4)]			
Sterile water and/or NS (4) minimum 1000 ML excluding IV solutions [OAC 4766-2-10(B)(5)]			
Sterile gloves (2 pair) [OAC 4766-2-10(B)(6)]			
Suction tubing (2) [OAC 4766-2-10(B)(7)]			
Suction bags (2 extra disposable liners or containers) [OAC 4766-2-10(B)(8)]			

AIRWAY EQUIPMENT	YES	NO	N/A
Complete set, oropharyngeal airway devices infant through adult [OAC 4766-2-10(C)(1)]			
Complete set, nasopharyngeal airway devices infant through adult [OAC 4766-2-10(C)(2)]			
Complete intubation kit, per protocol only			
Extra batteries and bulbs [OAC 4766-2-10(C)(3)(a)]			
Syringes (assorted sizes) [OAC 4766-2-10(C)(3)(b)]			
Adult Stylet [OAC 4766-2-10(C)(3)(c)]			
Pediatric Stylet [OAC 4766-2-10(C)(3)(d)]			
Adult Magill Forceps [OAC 4766-2-10(C)(3)(e)]			

AIRWAY EQUIPMENT	YES	NO	N/A
Pediatric Magill Forceps [OAC 4766-2-10(C)(3)(f)]			
Booted hemostat or device appropriate clamp [OAC 4766-2-10(C)(3)(g)]			
Adult Endotracheal Tubes (one each cuffed) 6.0mm, 7.0mm, 8.0mm [OAC 4766-2-10(C)(3)(h)]			
Pediatric Endotracheal Tubes (1 ea. Cuffed or uncuffed 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5) [OAC 4766-2-10(C)(3)(i)]			
Water soluble lubricant [OAC 4766-2-10(C)(3)(j)]			
Laryngoscope handle [OAC 4766-2-10(C)(3)(k)]			
Laryngoscope blades (curved and straight) 0,1,2,3, and 4 [OAC 4766-2-10(C)(3)(l)]			
Secondary confirmation device for ET tube (End-tidal CO2 detector or capnometer) [OAC 4766-2-10(C)(3)(m)]			
Commercial ET tube securing device [OAC 4766-10(C)(3)(n)]			
Cricothyrotomy kit/set per protocol [OAC 4766-2-10(C)(4)]			
Supraglottic airway devices (adult and pediatric per protocol) [OAC 4766-2-10(C)(5)]			

BLEEDING CONTROL/BURN EQUIPMENT	YES	NO	N/A
Adhesive dressing strips (10) [OAC 4766-2-10(D)(1)]			
Sterile gauze pads (20)(assorted sizes) [OAC 4766-2-10(D)(2)]			
Surgi pads/sterile sponge pads (4) [OAC 4766-2-10(D)(3)]			
Assorted standard gauze rolls (4) [OAC 4766-2-10(D)(4)]			
Sterile universal trauma dressing [OAC 4766-2-10(D)(5)]			
Sterile nonporous dressing (4) [OAC 4766-2-10(D)(6)]			
Assorted tape (4) [OAC 4766-2-10(D)(7)]			

ISOLATION EQUIPMENT	YES	NO	N/A
Kits (4) [OAC 4766-2-10(E)(1)] OR			
Isolation goggles and mask or mask/shield combo (4)[OAC 4766-2-10(E)(1)(a)]			
Isolation gowns (4) [OAC 4766-2-10(E)(1)(b)]			
Isolation gloves (4) [OAC 4766-2-10(E)(1)(c)]			
High particulate filter mask (HEPA or N95) (4 assorted sizes) [OAC4766-2-10(E)(2)]			
Containers (bags) for infectious medical waste (4) [OAC 4766-2-10(E)(3)]			

ISOLATION EQUIPMENT	YES	NO	N/A
Sharps container [OAC 4766-2-10(E)(4)]			
Disinfectant/germicidal [OAC 4766-2-10(E)(5)]			
Waterless hand cleaner [OAC 4766-2-10(E)(6)]			

IMMOBILIZATION EQUIPMENT	YES	NO	N/A
Extremity immobilization devices (board, air, vacuum, ladder, or equivalent) [OAC 4766-2-10(F)(1)]			
Traction splint (adult & child - 1 each) OR (adjustable for adult and child - 1) [OAC 4766-2-10(F)(2)]			
Backboard or equivalent (2) [OAC 4766-2-10(F)(3)]			
Backboard straps (3 each per board) [OAC 4766-2-10(F)(4)]			
Commercial cervical immobilization device (2) Adult [OAC 4766-2-10(F)(5)]			
Rigid extrication collar (Infant-Child-Adult) (small-medium-large) [OAC 4766-2-10(F)(6)]			
Stairchair and/or combo stairchair/folding cot (1) [OAC 4766-2-10(F)(7)]			

ADJUNCT EQUIPMENT	YES	NO	N/A
Trauma Shears (1) [OAC 4766-2-10(G)(1)]			
Stethoscope (1) [OAC 4766-2-10(G)(2)]			
BP Cuff (Pediatric, Adult, Large Adult) (1 each) [OAC 4766-2-10(G)(3)]			
Non-mercury thermometer (oral or equivalent) (1) [OAC 4766-2-10(G)(4)]			
Penlight (1) [OAC 4766-2-10(G)(5)]			
Large flashlight (1) [OAC 4766-2-10(G)(6)]			
Tongue blades (2) [OAC 4766-2-10(G)(7)]			
Eye protector pads (2) [OAC 4766-2-10(G)(8)]			
Packaged obstetrical kit (1) [OAC 4766-2-10(G)(9)]			
Exam gloves (minimum 2 full boxes; various sizes) [OAC 4766-2-10(G)(10)]			
Patient cot (1) (with 3 straps) [OAC 4766-2-10(G)(11)]			
Pillows and cases (2) [OAC 4766-2-10(G)(12)]			
Sheets (2) [OAC 4766-2-10(G)(12)]			
Heavy Blankets (2) (bath blankets shall not be substituted) [OAC 4766-2-10(G)(12)]			
Towels (2) [OAC 4766-2-10(G)(13)]			
Emesis basins or equivalent (2) [OAC 4766-2-10(G)(14)]			
Urinal or equivalent (1) [OAC 4766-2-10(G)(15)]			
Bedpan (1)[OAC 4766-2-10(G)(16)]			
Personal towelettes or equivalent (10) [OAC 4766-2-10(G)(16)]			
ABC fire extinguishers (2) (5lb minimum each) (front & back)[OAC 4766-2-10(G)(17)]			

ADJUNCT EQUIPMENT	YES	NO	N/A
Extinguishers mounted per current national standard [OAC 4766-2-10(G)(17)(a)]			
Annual extinguisher maintenance check per OSHA [OAC 4766-2-10(G)(17)(b)]			
Patient restraints (4) [OAC 4766-2-10(G)(18)]			
ANSI II high visibility vest (1 for each crew member) 29 CFR 634 [OAC 4766-2-10(G)(19)]			
Age/weight appropriate pediatric restraint per MTO protocol [OAC 4766-2-10(G)(20)]			

ONBOARD DEFINITIVE CARE EQUIPMENT			
BLS	YES	NO	N/A
Approved medications as shown on State Board of Pharmacy License/Addendum [OAC 4766-2-10(H)(1)(a)]			
Automated external defibrillator (Adult and Pediatric Pads) [OAC 4766-2-10(H)(1)(b)]			

ONBOARD DEFINITIVE CARE EQUIPMENT			
INTERMEDIATE	YES	NO	N/A
Approved medications as shown on State Board of Pharmacy License/Addendum [OAC 4766-2-10(H)(2)(a)]			
Approved I.V. solutions as shown on State Board of Pharmacy License/Addendum [OAC 4766-2-10(H)(2)(b)]			
Automated External Defibrillator (Adult and Pediatric Pads) [OAC 4766-2-10(H)(2)(d)]			
Intravenous Equipment			
Alcohol and povidone iodine preps (10 each) [OAC 4766-2-10(H)(2)(c)(i)]			
Arm boards (1) [OAC 4766-2-10(H)(2)(c)(ii)]			
IV Administration sets (4) [OAC 4766-2-10(H)(2)(c)(iii)]			
IV Catheters (assorted sizes) [OAC 4766-2-10(H)(2)(c)(iv)]			
Needles (assorted sizes) [OAC 4766-2-10(H)(2)(c)(v)]			

ONBOARD DEFINITIVE CARE EQUIPMENT			
ALS	YES	NO	N/A
Approved medications as shown on State Board of Pharmacy License/Addendum [OAC 4766-2-10(H)(3)(a)]			
Approved I.V. solutions as shown on State Board of Pharmacy License/Addendum [OAC 4766-2-10(H)(3)(b)]			
Cricothyroidotomy-needle or surgical, per protocol [OAC 4766-2-10(H)(3)(c)(vii)]			
Monitor/defibrillator (with EKG Trace) external cardiac pacing capability [OAC 4766-2-10(H)(3)(d)]			
Defibrillator gel or pads [OAC 4766-2-10(H)(3)(d)(i)]			
Adult paddles/pads if applicable [OAC 4766-2-10(H)(3)(d)(ii)]			
EKG leads [OAC 4766-2-10(H)(3)(d)(iii)]			
External pacing pads [OAC 4766-2-10(H)(3)(d)(iv)]			
Pedi-paddles/Pads [OAC 4766-2-10(H)(3)(d)(v)]			
Intravenous Equipment			
Alcohol and povidone iodine preps (10 each) [OAC 4766-2-10(H)(3)(c)(i)]			
Arm boards (1 each) [OAC 4766-2-10(H)(3)(c)(ii)]			
IV Administration sets (4) [OAC 4766-2-10(H)(3)(c)(iii)]			
IV Catheters (assorted sizes) [OAC 4766-2-10(H)(3)(c)(iv)]			
Intraosseous Needles or kit, per protocol (2) [OAC 4766-2-10(H)(3)(c)(v)]			
Needles (assorted sizes) [OAC 4766-2-10(H)(3)(c)(vi)]			

Comments: _____
