



Pool Supplies FAST!

Safety Cover Measuring Form

Measuring Your Pool is EASY!

There are 6 STEPS to filling out this form. Please follow directions carefully.

1. Your Name:

Address:

City: State: Zip:

Phone: Today's Date:

Fax or Email:

Customer Representative:

After completion, submit this form Digitally Online or by Mail/Fax

Email Form:
customsales@doheny.com

Mail Printed Form:
6950 51st Street, Kenosha, WI 53144

FAX Printed Form: 800-786-5650

2. CHOOSE YOUR TYPE OF SAFETY COVER: ALL SAFETY COVER WARRANTIES ARE PRO-RATED.

Hinsperger Safety Covers Ships in 10-14 business days.

- 10 Year Warranty Standard Solid with Drain
- 10 Year Warranty Standard Solid with Pump
- 10 Year Warranty Aquamaster Lightweight Solid with Drain
- 10 Year Warranty Aquamaster Lightweight Solid with Pump
- 12 Year Warranty Standard Mesh (5 ft x 5 ft spacing)
- 12 Year Warranty 99% Sun-block Mesh (5 ft x 5 ft spacing)
- 15 Year Warranty Standard Mesh (3 ft x 3 ft spacing)
- 15 Year Warranty 99% Sun-block Mesh (3 ft x 3 ft spacing)
- 25 Year Warranty Commercial Mesh


GLI Safety Covers Blue and green covers ship within 3 business days.

- 10 Year Warranty Economy Solid with Drain *Specify blue or green.*
- 10 Year Warranty Economy Solid with Pump *Specify blue or green.*
- 12 Year Warranty Standard Solid with Drain *Specify blue or green.*
- 12 Year Warranty Standard Solid with Pump *Specify blue or green.*
- 12 Year Warranty Standard Mesh *Specify blue or green.*
- 15 Year Warranty Hyper-lite Solid with Drain *Specify blue or green.*
- 15 Year Warranty Hyper-lite Solid with Pump *Specify blue or green.*
- 15 Year Warranty 99% Sun-block Pro-Mesh *Specify blue, green, tan, or gray.*

Meyco Safety Covers Ships in 10-14 business days.

- 12 Year Warranty Perma-Guard Solid with Drain
- 12 Year Warranty Perma-Guard Solid with Pump
- 12 Year Warranty 95% Sun-block Meycolite Mesh
- 12 Year Warranty 99% Sun-block Rugged Mesh


3. CHOOSE YOUR POOL CORNER TYPE:



Cut Corners


Measurement from
Point 1 to Point 2:

Inches



Square Corners

No measurement is required
for Square Corners








Radius Corners



Measurement from
Point 1 to Point 2:

Inches



4. CHOOSE YOUR POOL SHAPE AND FILL IN DIMENSIONS BELOW



C1 - C6 : Diagonal measurements must be taken to imaginary squared off corners



C1 - C6 : Diagonal measurements must be taken to imaginary squared off corners



FILL IN THE DIMENSIONS HERE.

The above pools are 5 x 5 (strap spacing) unless otherwise specified.

- A. _____ Feet _____ Inches
- B. _____ Feet _____ Inches
- C. _____ Feet _____ Inches
- D. _____ Feet _____ Inches
- E. _____ Feet _____ Inches
- F. _____ Feet _____ Inches
- G. _____ Feet _____ Inches
- H. _____ Feet _____ Inches
- I. _____ Feet _____ Inches
- J. _____ Feet _____ Inches
- K. _____ Feet _____ Inches

5a. MEASURING INSTRUCTIONS FOR PLOTTING A FREEFORM, NON-STANDARD SHAPED POOL:
IF YOU HAVE AN EXISTING SAFETY COVER all measurements have to be filled out for your pool, plus a second set of measurements from your A & B points to the existing anchor locations.

- A.** Begin by sketching the basic inside shape of the pool on the grid page provided. Sketch and label all non-removable details within four (4) feet of the inside pool edge (i.e. coping width, grab rails, waterfalls, spas, ladders, raised walls, uneven decks, planters, dive board stand, slides, etc.).
- B.** Starting at a distinctive point (i.e. a crack in the deck, a space in the coping, etc.) make marks at roughly three (3) foot intervals around the entire pool numbering the marks as point 1, point 2, and so on, until you return to within three (3) feet of the starting point.

 Make marks at one (1) foot intervals for areas with any tight radius, rocks, raised walls, waterfalls, spas, or similar obstructions. Mark points along spa side and pool side of dividing wall, include width of spa wall or distance between spa and pool if separated. **Note:** Number and label all corners, fill spouts, step section corners, all non-removable objects, etc. Mark front and back of ladders and hand rails to better identify locations.
- C.** Now establish two points at least three (3) feet from the edge of the longest side of pool (it is best to use distinctive marks for future reference). Label one point as A and the other point as B. The distance between the two points should be roughly 2/3rds of the length of the pool (i.e. if pool is 30ft there would be a 20ft distance between points A and B). **Note:** The line between point A and point B should NOT cross the pool's edge.
- D.** Attach, or have a partner hold, one end of a measuring tape to point A. Measure distance from point A to point 1, A to point 2, and so on. Record measurements on the measuring sheet provided, see visual example for details. Once all measurements have been recorded from point A, move measuring tape to point B and measure distance from point B to point 1, B to point 2, and so on, recording measurements on measuring sheet.
Note: Pull the tape tightly on each measurement.
- E.** Pick two (2) numbered points on pool edge representing roughly the overall length of the pool at the waterline. List this measurement on measuring sheet. Do the same for the width of the pool and enter measurement on measuring sheet.


EXAMPLE: OVERALL POOL MEASUREMENTS – POINT TO POINT:

Distance from - Point A to Point B : 25 ft 0 in
 Overall Pool Width - Point 17 to Point 48 : 17 ft 0 in
 Cross Dimensions Width - Point 11 to Point 52 : 14 ft 0 in
 Cross Dimensions Width - Point 27 to Point 43 : 23 ft 0 in
 Overall Pool Length - Point 6 to Point 38 : 37 ft 9 in
 Cross Dimensions Length - Point 12 to Point 35 : 24 ft 7 in
 Cross Dimensions Length - Point 46 to Point 39 : 14 ft 2 in

EXAMPLE: A & B MEASUREMENTS

PT.	A	B
1	5'2"	27'6"
2	8'4"	29'2"
3	11'8"	32'6"
4	15'8"	36'6"
5	CONTINUE	CONTINUE
6		
7		
8		
9		
10		
11		
12		
13		
14		
15		
16		
17		
18		
19		
20		
21		
22		
23		
24		
25	↓	↓

Continue taking the A & B measurements for as many numbered points that you have on your pool.



Please note: The measurements from the numbered points should all touch A and B at the exact same point.

5b. DRAW POOL ON GRID BELOW, CAREFULLY FOLLOWING INSTRUCTIONS ON PREVIOUS PAGE.

MAKE OF POOL: _____



5c. FILL IN MEASUREMENTS IN COLUMNS BELOW (see Measuring Example on page 2)

OVERALL POOL MEASUREMENTS

Distance from - Point A to Point B : ft in

Overall Pool Width - Point to Point : ft in

Cross Dimensions Width - Point to Point : ft in

Cross Dimensions Width - Point to Point : ft in


Overall Pool Length - Point to Point : ft in

Cross Dimensions Length - Point to Point : ft in

Cross Dimensions Length - Point to Point : ft in


Point #	Distance to A	Distance to B	Point #	Distance to A	Distance to B	Point #	Distance to A	Distance to B	Point #	Distance to A	Distance to B
1			21			41			61		
2			22			42			62		
3			23			43			63		
4			24			44			64		
5			25			45			65		
6			26			46			66		
7			27			47			67		
8			28			48			68		
9			29			49			69		
10			30			50			70		
11			31			51			71		
12			32			52			72		
13			33			53			73		
14			34			54			74		
15			35			55			75		
16			36			56			76		
17			37			57			77		
18			38			58			78		
19			39			59			79		
20			40			60			80		

6. MEASURE YOUR STEP END SECTION. CHOOSE APPROPRIATE STEP POSITION.



A. Step Section Size:

(W) Width: _____ (L) Length: _____



B. Offset Steps – Distance of step from corners:

(X) : _____ (Y) : _____

Step Width (W): Measured from the water's edge to the back of the step section. Step Length (L): Measure across one step from side to side.

7. ADDITIONAL CUSTOM SAFETY COVER QUESTIONS – PLEASE ANSWER ALL QUESTIONS CAREFULLY


(Refer to 5a: Plotting a freeform non-standard shape pool for questions G-M)

A. Are there any ladders, hand rails or grab rails? Yes No
 If any ladders, hand rails or grab rails are non-removable, please provide the following dimensions:

LADDER

A =


B =



HAND RAILS


A =

B =



GRAB RAILS

A =



B. COPING

Does your pool have rough concrete, brick or stone coping? _____

C. DECK

Is there at least 3 ft of concrete around the pool? Yes No

If no, is the deck made of wood, loose brick, loose stone, pavers, grass, other? _____

D. FILL SPOUT

What is the distance from water edge to the fill spout? _____

E. SLIDE LEGS

What is the distance from the water edge to each of the slide legs? _____

F. DIVING BOARD STAND

What is the distance from the water edge to the diving board stand? _____

G. GRAB ROCKS (Please send photo)

What is the distance from the water edge to each of the grab rocks? _____

H. RAISED BOND BEAMS/RAISED WALLS (Please send photo)

Very accurate dimensions are required of each end of beams/walls. Also include measurements along the obstructions.

How high are the walls? _____

I. RAISED SPA (Please send photo)

What are the dimensions of each end of the spa, as well as points along the spa wall? _____

How high is spa raised above the coping? _____

Is there is a spillway that must be padded, what are the dimensions? _____

J. SPA WALL

How thick across is your spa wall? _____

K. FLUSH PLANTING AREA (Please send photo)

Will planter be strong enough to snap-hook cover to it? _____

What is the width of coping on this area? _____

What is the distance between coping and planter? _____

L. WATERFALLS/ROCKS (Please send photo)

Supply accurate dimensions for each end of obstructions, and at close 1 ft intervals between. _____

M. CHANGE DECK LEVELS (Please send photo)

Supply critical dimensions. _____

AGREEMENT BETWEEN DEALER AND POOL OWNER: Cover specifications above were provided by the Pool Owner.

Custom Safety Covers are NOT refundable. Pool owner assumes responsibility for ALL cover specifications. Allow approximately 3 weeks from date of order for delivery.

Pool Owner Signature: _____ Date: _____