

# SAFETY COVER MEASURING FORM

## DISTRIBUTOR INFORMATION

COMPANY NAME: \_\_\_\_\_  
CITY: \_\_\_\_\_ STATE: \_\_\_\_\_ ZIP: \_\_\_\_\_  
CONTACT: \_\_\_\_\_  
PHONE: \_\_\_\_\_ FAX: \_\_\_\_\_  
JOB TAG NAME: \_\_\_\_\_

## DEALER INFORMATION

COMPANY NAME: \_\_\_\_\_  
ADDRESS: \_\_\_\_\_  
CITY: \_\_\_\_\_ STATE: \_\_\_\_\_ ZIP: \_\_\_\_\_  
CONTACT: \_\_\_\_\_  
PHONE: \_\_\_\_\_ FAX: \_\_\_\_\_

COVER SPECIFICATIONS:  STANDARD MESH  PROMESH®  HYPERLITE™  OTHER \_\_\_\_\_  
DRAIN TYPE:  KLEEN-SCREEN™  SURE-FLO™ (FULL LENGTH DRAIN)  PUMP IN LIEU OF DRAIN  
COLOR:  BLUE  GREEN  TAN (HYPERLITE, PROMESH, STANDARD MESH)  GRAY (PROMESH & STANDARD MESH)  
ANCHORING SYSTEM:  CONCRETE  WOOD DECK  18" LAWN TUBES  9" PAVER TUBES DECK MATERIAL: \_\_\_\_\_

## POOL DRAWING

**IMPORTANT! INCLUDE AB LINE IN YOUR SKETCH BELOW.**

**DISTANCE OF POINT A TO POINT B:** \_\_\_\_\_

# MEASURING INSTRUCTIONS

## STEP 1

Sketch the inside dimensions of the pool (see example) on the next page. Include all non-removable details within three (3) feet of the water line, i.e. coping (width), rocks, grab rails, waterfalls, spas, ladders, raised walls, uneven decks, planters, etc. If you are measuring existing anchor points, then place the AB line 3 feet outside the anchor line.

## STEP 2

Using chalk, establish two points A and B (see example). Be sure that A is on the LEFT and B is on the RIGHT while facing the pool. The distance between them should be roughly  $\frac{2}{3}$  the length of the pool. (i.e. if the pool is 30 ft., make A-B line 20 ft. **BE SURE TO INDICATE DISTANCE BETWEEN A & B AND SHOW LOCATION ON DRAWING.** Make certain that the imaginary line between A and B and any extensions of it are at least three feet from the pools edge.

## STEP 3


Make a chalk mark (number each mark) at roughly three (3) foot intervals around the entire pool. Be certain to number all corners, rail locations (front and back of rails), fill spouts, or other obstructions if they are not removable. Mark all points along spa side and pool side of diving wall. Mark areas at one (1) foot intervals when tight radius, rocks, raised walls, waterfalls, or similar obstructions are encountered. Diagrams with these types of obstructions should be accompanied by a photograph. Include width of spa wall or distance between spa and pool, if separate.

## STEP 4

Attach a tape measure to point A. (Pull tape tightly on each measurement). Now measure distance from point A to point 1, then point A to point 2, and so on. List measurements in corresponding columns on the next page (see example). Move tape to point B, and measure in the same fashion; point B to point 1, and so on. Tape should be level and not angled up or down any elevation.

## STEP 5

Pick two (2) numbered points representing the overall length of the pool at the water line (see example). List this measurement. Do the same for the overall width of the pool. These measurements are crucial as they act as check points to ensure all other measurements are correct.



# MEASURING FORMS

## AB POINTS

	A		B			A		B			A		B	
	FT	IN	FT	IN		FT	IN	FT	IN		FT	IN	FT	IN
1					31					61				
2					32					62				
3					33					63				
4					34					64				
5					35					65				
6					36					66				
7					37					67				
8					38					68				
9					39					69				
10					40					70				
11					41					71				
12					42					72				
13					43					73				
14					44					74				
15					45					75				
16					46					76				
17					47					77				
18					48					78				
19					49					79				
20					50					80				
21					51					81				
22					52					82				
23					53					83				
24					54					84				
25					55					85				
26					56					86				
27					57					87				
28					58					88				
29					59					89				
30					60					90				

FT IN

DISTANCE FROM "A" TO "B" 

--	--

FT IN

Overall Length		From PT #		TO PT #	
Overall Width		From PT #		TO PT #	
Optional 2nd Overall Length		From PT #		TO PT #	
Optional 2nd Overall Width		From PT #		TO PT #	

## OBSTRUCTIONS

OBSTRUCTIONS	From Pt	To Pt	And Pt	To Pt	SPECIAL INFORMATION
<input type="checkbox"/> Rock Boulders					<input type="checkbox"/> Up & Over Length: _____ <input type="checkbox"/> Cable
<input type="checkbox"/> Rock Boulders					<input type="checkbox"/> Up & Over Length: _____ <input type="checkbox"/> Cable
<input type="checkbox"/> Gravel/Stone					<input type="checkbox"/> Lawn Tubes <input type="checkbox"/> Paver
<input type="checkbox"/> Waterfall					<input type="checkbox"/> Up & Over Length: _____ <input type="checkbox"/> Cable
<input type="checkbox"/> Grass Area					<input type="checkbox"/> Lawn Tubes <input type="checkbox"/> Paver
<input type="checkbox"/> Planter					<input type="checkbox"/> Lawn Tubes <input type="checkbox"/> Paver
<input type="checkbox"/> Wood Deck					<input type="checkbox"/> Wood Deck Anchors
<input type="checkbox"/> Other _____					<input type="checkbox"/> Up & Over Length: _____ <input type="checkbox"/> Tubes

From Pt To Pt Height

<input type="checkbox"/> Raised Wall			
<input type="checkbox"/> Raised Spa			

<input type="checkbox"/> Up & Over Length: _____	<input type="checkbox"/> Cable
<input type="checkbox"/> One Piece	<input type="checkbox"/> Separate

## SPECIAL OR EXTRA HARDWARE NEEDED

<input type="checkbox"/> 2" Brass Anchors	Entire Pool	Qt: _____
<input type="checkbox"/> Brass Flanges	Entire Pool	Qt: _____
<input type="checkbox"/> Paver Tubes	Entire Pool	Qt: _____
<input type="checkbox"/> Lawn Tubes	Entire Pool	Qt: _____
<input type="checkbox"/> Wood Deck Anchors	Entire Pool	Qt: _____
<input type="checkbox"/> On-Deck Pool Clamps	Entire Pool	Qt: _____
<input type="checkbox"/> Standard Installation Rod	One included	Qt: _____
<input type="checkbox"/> "Pro 36" Installation Rod	1	Qt: _____
<input type="checkbox"/> Standard Springs	Entire Pool	Qt: _____
<input type="checkbox"/> 5" Springs	Entire Pool	Qt: _____
<input type="checkbox"/> Commerical Springs (\$) <small>*Standard on ProMesh &amp; HyPerLite Custom Covers</small>	Entire Pool	Qt: _____
<input type="checkbox"/> Other _____	Entire Pool	Qt: _____

From PT To PT

<input type="checkbox"/> Longer Tails (Standard Length 20") Required Length = _____	Entire Pool		
<input type="checkbox"/> Perimeter Padding Required Length = _____	Entire Pool		

Comments / Special Notes:

**For directions on "How to Measure a Safety Cover" and to see our quick "How-To Videos" please visit [www.glipoolproducts.com/scmeasuring](http://www.glipoolproducts.com/scmeasuring)**