OMB Approved No. 2900-0811 Respondent Burden: 30 minutes Expiration Date: 04-30-2017

,	v	_
^	w	
•	w	
Ν.	•	_

Department of Veterans Affairs

HIP AND THIGH CONDITIONS DISABILITY BENEFITS QUESTIONNAIRE

IMPORTANT - THE DEPARTMENT OF VETERANS AFFAIRS (VA) WILL NOT PAY OR REIMBURSE ANY EXPENSES OR COST INCURRED IN THE

PROCESS OF COMPLETING AND/OR SUBMIREVERSE BEFORE COMPLETING FORM.	TTING THIS FORM. PLEASE RE	AD THE PRIVACY ACT AND RE	ESPONDENT BURDEN INFORMATION ON
NAME OF PATIENT/VETERAN		PATIEN	NT/VETERAN'S SOCIAL SECURITY NUMBER
NOTE TO PHYSICIAN - The veteran or service information you provide on this questionnaire as properlied by private health care providers.			
	MEDICAL RECO	ORD REVIEW	
WAS THE VETERAN'S VA CLAIMS FILE REVIEW	ED?		
YES NO			
IF YES, LIST ANY RECORDS THAT WERE REVIE	WED BUT WERE NOT INCLUDED I	N THE VETERAN'S VA CLAIMS FILI	E:
IF NO, CHECK ALL RECORDS REVIEWED:			
Military service treatment records	Department of Defense Form 214	Separation Documents	
Military service personnel records	Veterans Health Administration me	edical records (VA treatment records	?)
Military enlistment examination	Civilian medical records		
Military separation examination	Interviews with collateral witnesses	s (family and others who have know	n the veteran before and after military service)
Military post-deployment questionnaire	Other:		
	No records were reviewed		
	SECTION I - D	DIAGNOSIS	
NOTE: These are condition(s) for which an evalue evidence be provided for submission to VA.	ation has been requested on an exar	n request form (Internal VA) or for	which the Veteran has requested medical
1A. LIST THE CLAIMED CONDITION(S) THAT PER	RTAIN TO THIS DBQ:		
NOTE: These are the diagnoses determined durin from a previous diagnosis for this condition, or if section. Date of diagnosis can be the date of the evaluation history.	here is a diagnosis of a complication if the clinician is making the initial	n due to the claimed condition, expl diagnosis, or an approximate date	lain your findings and reasons in comments
1B. SELECT DIAGNOSES ASSOCIATED WITH TH			
The Veteran does not have a current diagnosi	s associated with any claimed conditi	on listed above. (Explain your finding)	ngs and reasons in comments section.)
Osteoarthritis, hip Side affect	ed: Right Left Both	ICD Code:	Date of diagnosis:
Hip joint replacement Side affect	ed: Right Left Both	ICD Code:	
Trochanteris pain syndrome Side affecte (includes trochanteric bursitis)	ed: Right Left Both	ICD Code:	
Femoral acetabular impingement Side affect syndrome (includes labral tears)	ed: Right Left Both	ICD Code:	Date of diagnosis:
lliopsoas tendinitis Side affect	ed: Right Left Both	ICD Code:	Date of diagnosis:
Femoral neck stress fracture Side affect		ICD Code:	
Avascular necrosis, hip Side affect	ed: Right Left Both	ICD Code:	Date of diagnosis:
Ankylosis of hip joint Side affect	ed: Right Left Both	ICD Code:	
Other (specify)			
Other diagnosis #1:			
Side affected: Right Left Bott	ICD Code:	Date of diagnosis:	
Other diagnosis #2:			
Side affected: Right Left Bott	ICD Code:	Date of diagnosis:	
Other diagnosis #3:			
Side affected: Right Left Bott	ICD Code:	Date of diagnosis:	
1C. COMMENTS (if any):			

		SEC	CTION I - DIAGNOSIS (Continued)
	ION REQUESTED A NO	BOUT THIS CONDITION (int	ternal VA only)?
		SI	ECTION II - MEDICAL HISTORY
2A. DESCRIBE TH	E HISTORY (includi.		E VETERAN'S HIP OR THIGH CONDITION (brief summary):
AB DOES THE VE	TEDAN DEDORT TU	IAT ELADE LIDE IMPACT TU	HE FUNCTION OF THE HIP OR THIGH?
☐ YES ⊠	NO		PACT OF FLARE-UPS IN HIS OR HER OWN WORDS:
DBQ (regardle	ess of repetitive use)?	,	OSS OR FUNCTIONAL IMPAIRMENT OF THE JOINT OR EXTREMITY BEING EVALUATED ON THIS
			AL RANGE OF MOTION (ROM) MEASUREMENTS
		g the examination be cognizar iment painful movement in Se	int of painful motion, which could be evidenced by visible behavior such as facial expression, wincing,
Following the initial that 3 repetitions of	assessment of ROM	, perform repetitive use testing can serve as a representativ	ng. For VA purposes, repetitive use testing must be included in all joint exams. The VA has determined we test of the effect of repetitive use. After the initial measurement, reassess ROM after 3 repetitions.
3A. INITIAL ROM N	MEASUREMENTS		
Hip	Joint Movement	ROM Measurement	If ROM testing is not indicated for the veteran's condition or not able to be performed, please explain why, and then proceed to Section 5:
	Flexion (normal endpoint = 125 degrees)	Not indicated Not able to perform	, , , , , , , , , , , , , , , , , , , ,
	Extension/ Hyperextension (normal endpoint = 30 degrees)	Not indicated Not able to perform	
RIGHT HIP	Abduction (normal endpoint = 45 degrees)	Not indicated Not able to perform	
	Adduction (normal endpoint = 25 degrees)	Not indicated Not able to perform	
		is adduction limited such th	hat the Veteran cannot cross legs Yes No
	External Rotation (normal endpoint = 60 degrees)	Not indicated Not able to perform	
	Internal Rotation (normal endpoint = 40 degrees)	Not indicated Not able to perform	

	SI	ECTION III - INITIAL RAN	IGE OF MOTI	ON (ROM) MEASUREMENTS $(Color ROM)$	ontinued)	
3A. INITIAL ROM M	IEASUREMENTS (C	Continued)				
Hip	Joint Movement	ROM Measurement	If RO	M testing is not indicated for the veterar please explain why, and the	n's condition or not able n proceed to Section 5:	to be performed,
	Flexion (normal endpoint = 125 degrees)	Not indicated Not able to perform				
	Extension/ Hyperextension (normal endpoint = 30 degrees)	Not indicated Not able to perform				
LEFT HIP	Abduction (normal endpoint = 45 degrees)	Not indicated Not able to perform				
	Adduction (normal endpoint = 25 degrees)	Not indicated Not able to perform Is adduction limited such th	nat the Veteran c	annot cross legs Yes No		
		io addadion illinica cacin ti		armet erese rege		
	External Rotation (normal endpoint = 60 degrees)	Not indicated Not able to perform				
	Internal Rotation (normal endpoint = 40 degrees)	Not indicated Not able to perform				
X NO, EXPLAIN 3C. IF ROM DOES	NOT CONFORM TO	THE NORMAL RANGE OF I	IBUTE:	IFIED ABOVE BUT IS NORMAL FOR T	HIS VETERAN (for rea	isons other than an ankle
	-		EASUREMEN [®]	TS AFTER REPETITIVE USE TES	TING	
4A. POST-TEST RO	OM MEASUREMENT	rs able to perform repetitive-us	e testina?	Is there additional limitation in ROM	Joint Movement	Post-test ROM
<u> </u>	Yes		3	after repetitive-use testing? Yes	Flexion	Measurement
		repetitive-use testing		No, there is no change in ROM after repetitive testing	Extension	
	If no, provide rea	son below, then proceed to S	ection 6	If yes, report ROM after a minimum of 3 repetitions.	Abduction	
RIGHT HIP				If no, documentation of ROM after repetitive-use testing is not required.	Adduction	
					Is post-test adduction Veteran cannot cross	n limited such that the s legs? Yes No
					External Rotation	
					Internal Rotation	

SECTION IV - ROM MEASUREMENTS AFTER REPETITIVE USE TESTING (Continued)							
4A. POST-TES	T ROM MEASUREMENTS (Cont	tinued)					
Hip	Is the veteran able to	perform repetitive-use testing?		tional limitation in ROM etitive-use testing?	Joint Movement	Post-test ROM Measurement	
	Yes If yes, perform repetitive-use testing			· · · · · · · · · · · · · · · · · · ·	Flexion		
	No If no, provid Section 6	de reason below, then proceed to	No, there is no change in ROM after repetitive testing If yes, report ROM after a minimum of 3 repetitions.		Extension		
		l			Abduction		
LEFT HIP		ı	If no, docume	entation of ROM after testing is not required.	Adduction		
		I	Tepennyo uso	lesting is not required.	Is post-test adduction Veteran cannot cross		
		l			External Rotation		
					Internal Rotation		
		TIONS OF ROMS NOTED ABOVE C		O FUNCTIONAL LOSS?			
= "	•	pe these limitations in Section 6 belo	*				
X NO, EXPL	_AIN WHY THE POST-TEST ADI	DITIONAL LIMITATIONS OF ROMs I	DO NOT CON I	RIBUTE:			
-:			ON V - PAIN				
5A. ROM MOVE	·	PASSIVE AND/OR REPETITIVE US	SE TESTING	Г			
	Are any ROM movements painful on active, passive						
Hip	and/or repetitive use testing?	If yes (there are painful movement pain contribute to functional			*	onal loss or additional	
r	(If yes, identify whether active, passive, and/or repetitive use in	additional limitation of RC		limitation of ROM), explain why the pain does not contribute:			
	question 5D)						
DIOUT	Yes	Yes (you will be asked to fur					
RIGHT HIP		these limitations in Section (6 below)				
	∐ No						
LEFT	Yes	Yes (you will be asked to fur					
HIP	× No	these limitations in Section (6 below)	below)			
ED DAINIA/LIE							
5B. FAIN WILL	N USED IN WEIGHT-BEARING (Is there pain when the joint is	JR IN NON WEIGHT-BLANING					
	used in weight-bearing or non	If yes (there is pain when used in w	weioht-hearing				
Hip	weight-bearing?	or non weight-bearing), does the p	pain contribute				
	(If yes, identify whether weight- bearing or non weight-bearing	to functional loss or additional limita	ation of ROM?				
	in question 5D)						
RIGHT	Yes	Yes (you will be asked to fur these limitations in Section (
HIP	× No	No No	o below,				
LEFT	∐ Yes	Yes (you will be asked to fur these limitations in Section (
HIP	☐ No	⊠ No					
5C. LOCALIZE	LD TENDERNESS OR PAIN ON P	ALPATION					
Hip	Does the Veteran have localize or pain to palpation of joints or	I IT VAS DASCRIDA IN	ncluding location	n, severity and relationship	p to condition(s) listed in	n the Diagnosis section:	
DIOUT UID	□ Vos □ Ni	_					
RIGHT HIP	Yes No	,					
LEFT HIP	Yes X No	5					
5D. COMMENT	S, IF ANY:						
	-,						

movements Using infor	eursion, strength, speed, coordination and/or s in different planes. rmation from the history and physical exam limitation of ROM after repetitive use for the	, select the factors below that	contribu	ite to fui	nction	•		
No fu	RIBUTING FACTORS OF DISABILITY <i>(check</i> nctional loss for <u>left</u> lower extremity attributate nctional loss for <u>right</u> lower extremity attributate.	le to claimed condition	ide affec	ted):				
	movement than normal (due to ankylosis, linon-tie-ups, contracted scars, etc.)	nitation or blocking, adhesion	ıs,	Right		Left		Both
	movement than normal (from flail joints, resation of ligaments, etc)	sections, nonunion of fracture	es, ×	Right		Left		Both
	sened movement (due to muscle injury, disease, divided or lengthened tendons, etc.)	ase or injury of peripheral		Right		Left		Both
Exces	ss fatigability		\times	Right		Left		Both
Incoo	rdination, impaired ability to execute skilled n	novements smoothly		Right		Left		Both
Pain	on movement		\times	Right		Left		Both
Swell	ing			Right		Left		Both
Defor	mity		\times	Right		Left		Both
Atrop	hy of disuse			Right		Left		Both
Instab	pility of station		\times	Right		Left		Both
Distur	rbance of locomotion			Right		Left		Both
Interfe	erence with sitting		\times	Right		Left		Both
Interfe	erence with standing			Right		Left		Both
Other	r, describe:							
could signi terms of the	ficantly limit functional ability during flare- e degree of additional ROM loss due to pain	ups or when the joint is <i>used re</i> on use or during flare-ups. Th	epeatedly ne follow	y over a	perio	d of tin	ne and	ther pain, weakness, fatigability, or incoordination that opinion, if feasible, should be expressed in n providing this required opinion.
	NY OF THE ABOVE FACTORS ASSOCIATE (If yes, complete questions 6C and 6D)	D WITH LIMITATION OF MOT	ΓΙΟΝ?					
× NO (į	If no, proceed to question 6D)							
6C. CONTR	RIBUTING FACTORS OF DISABILITY ASSO	CIATED WITH LIMITATION O	F MOTIO	ON	- 1			
Hip	Can pain, weakness, fatigability, or incoordination significantly limit functional ability during flare-ups or when the joint is used repeatedly over a period of time?	If yes, please estimate ROM functional loss during flare- joint is used repeatedly over	ups or w	hen the		when	the joi	runctional loss due to pain, during flare-ups and/or nt is used repeatedly over a period of time but the of ROM cannot be estimated, please describe the functional loss:
		Flexion		ROM is easible				
		Extension	1 1	ROM is feasible				
RIGHT	□ Vos □ No	Abduction	1 1	ROM is easible				
HIP	Yes No	Adduction	1 1	ROM is easible				
		External Rotation	1 1	ROM is feasible				
		Internal Potation		ROM is				

SECTION VI - FUNCTIONAL LOSS AND ADDITIONAL LIMITATION OF ROM

NOTE: The VA defines functional loss as the inability, due to damage or infection in parts of the system, to perform normal working movements of the body with

					LOSS AND ADDITIONAL LIN		OF ROM (Continued)		
6C. CONTRIBUTING FACTORS OF DISABILITY ASSOCIATED WITH LIMITATION OF MOTION (Continued)									
Hip	Can pain, weakne incoordination signific ability during flare-up used repeatedly over	cantly limit s or when	functional the joint is	functional	se estimate ROM due to pain and/ loss during flare-ups or when the d repeatedly over a period of time	whe	ere is a functional loss due to pain, during flare-ups and/or en the joint is used repeatedly over a period of time but the imitation of ROM cannot be estimated, please describe the functional loss:		
				Flexion	Est. ROM is not feasible				
				Extension	Est. ROM is not feasible	i			
LEFT	Yes	☐ No		Abduction	Est. ROM is not feasible	i			
HIP				Adduction	Est. ROM is not feasible	1			
				External Rotation	Est. ROM is not feasible				
				Internal Rotation	Est. ROM is not feasible				
					WITH LIMITATION OF MOTION				
74 141001	CONTRACTUL DATE	CTDENT	ACCORD		N VII - MUSCLE STRENGTH FOLLOWING SCALE:	TESTING	3		
1/5 Palp 2/5 Activ 3/5 Activ 4/5 Activ	nuscle movement able or visible muscle te movement with grav te movement against grav te movement against s te movement against s te all strength	vity elimina gravity	ated	nt movement					
Hip	Flexion/ Extension	Rate Strength		reduction in strength?	If yes, is the reduction entirely of claimed condition in the Diagnos		If no (the reduction is not entirely due to the claimed condition), provide rationale:		
RIGHT HII	Flexion	/5	□ Vaa	. D No	□ Vaa ☑ Na				
	Extension	/5	Yes	s	Yes 🔀 No				
	Abduction Flexion	/5							
LEFT HIP	Extension	/5	Yes	s × No	Yes No				
	Abduction	/5	_						
7B. DOES T	HE VETERAN HAVE	MUSCLE	ATROPHY?	?	<u> </u>				
YES NO IF YES, IS THE MUSCLE ATROPHY DUE TO THE CLAIMED CONDITION IN THE DIAGNOSIS SECTION? YES NO IF NO, PROVIDE RATIONALE:									
FOR ANY MUSCLE ATROPHY DUE TO A DIAGNOSES LISTED IN SECTION 1, INDICATE SIDE AND SPECIFIC LOCATION OF ATROPHY, PROVIDING MEASUREMENTS IN CENTIMETERS OF NORMAL SIDE AND CORRESPONDING ATROPHIED SIDE, MEASURED AT MAXIMUM MUSCLE BULK. LOCATION OF MUSCLE ATROPHY: RIGHT LOWER EXTREMITY (specify location of measurement such as "10cm above or below elbow"):									
					CIRCUMFERENCE OF ATRO		DE: CM		
CIRCL	CIRCUMFERENCE OF MORE NORMAL SIDE: CM CIRCUMFERENCE OF ATROPHIED SIDE: CM								

SECTION VII - MUSCLE STRENGTH TESTING (Continued)					
7C. COMMENTS, IF ANY:					
SECTION VIII -	VNKAI USIS				
NOTE: Ankylosis is the immobilization and consolidation of a joint due to disease, in					
COMPLETE THIS SECTION IF THE VETERAN HAS ANKYLOSIS OF THE KNEE AND/					
8A. INDICATE SEVERITY OF ANKYLOSIS AND SIDE AFFECTED (check all that appl					
	SIDE:				
Favorable, in flexion at an angle between 20 and 40 degrees,	Favorable, in flexion at an angle between 20 and 40 degrees,				
and slight abduction or adduction	and slight abduction or adduction				
Intermediate, between favorable and unfavorable	Intermediate, between favorable and unfavorable				
Unfavorable, extremely unfavorable ankylosis, foot not reaching ground, crutches needed	Unfavorable, extremely unfavorable ankylosis, foot not reaching ground, crutches needed				
No ankylosis	No ankylosis				
8B. COMMENTS, IF ANY:					
OB. COMMENTO, II ANT.					
SECTION IX - ADDITI					
9A. DOES THE VETERAN HAVE MALUNION OR NONUNION OF FEMUR, FLAIL HIP	JOINT OR LEG LENGTH DISCREPENCY?				
YES NO	LOW				
IF YES, INDICATE CONDITION AND COMPLETE THE APPROPRIATE SECTIONS BE	LOW:				
MALUNION OR NONUNION OF THE FEMUR MALUNION WITH SLIGHT HIP DISABILITY RIGHT	☐ LEFT ☐ BOTH				
MALUNION WITH MODERATE HIP DISABILITY X RIGHT	LEFT BOTH				
MALUNION WITH MARKED HIP DISABILITY RIGHT	LEFT BOTH				
FRACTURE OF SURGICAL NECK WITH FALSE JOINT X RIGHT	LEFT BOTH				
FRACTURE OF SHAFT OR NECK (anatomical), RIGHT	LEFT BOTH				
RESULTING IN NONUNION WITHOUT LOOSE					
MOTION; WEIGHT-BEARING PRESERVED WITH AID OF A BRACE					
FRACTURE OF SHAFT OR NECK (anatomical), WITH X RIGHT	LEFT BOTH				
NONUNION WITH LOOSE MOTION (spiral or oblique					
fracture)					
NOTE: If impairment of the femur causes any knee disability, also complete the VA	Form 21-0960M-9 Knee and Lower Leg Conditions DBQ.				
FLAIL HIP JOINT					
INDICATE SIDE AFFECTED: RIGHT LEFT BOTH					
LEG LENGTH DISCREPANCY (shortening of any bones of the lower extremity)					
<u> </u>	o the nearest 1/4 inch) OR CENTIMETERS, MEASURING FROM THE ANTERIOR				
SUPERIOR ILIAC SPINE TO THE INTERNAL MALLEOLUS OF THE TIBIA.	· · · · · · · · · · · · · · · · · · ·				
RIGHT LEG: CM IN LEFT LEG:	☐ CM ☐ IN				
FOR ANY LEG LENGTH DISCREPANCY, PLEASE DESCRIBE THE RELATIONS	HIP TO THE CONDITONS LISTED IN THE DIAGNOSIS SECTION ABOVE:				
9B. COMMENTS, IF ANY:					

SECTION X - SURGICAL PROCEDURES						
10. INDICATE ANY SURGICAL PROCEDURES THAT THE VETERAN HAS HAD PERFO (check all that apply):	ORMED AND PROVIDE THE ADDITIONAL INFORMATION AS REQUESTED					
RIGHT SIDE:	LEFT SIDE:					
TOTAL HIP JOINT REPLACEMENT	TOTAL HIP JOINT REPLACEMENT					
DATE OF SURGERY:	DATE OF SURGERY:					
RESIDUALS:	RESIDUALS:					
None	None					
Moderately severe residuals of weakness, pain or limitation of motion	Moderately severe residuals of weakness, pain or limitation of motion					
Markedly severe residual weakness, pain or limitation of motion	Markedly severe residual weakness, pain or limitation of motion					
following implantation of prosthesis	following implantation of prosthesis					
Following implantation of prosthesis with painful motion or weakness	Following implantation of prosthesis with painful motion or weakness					
such as to require the use of crutches Other, describe:	such as to require the use of crutches Other, describe:					
	Caron, accorde.					
ARTHROSCOPIC OR OTHER HIP SURGERY	ARTHROSCOPIC OR OTHER HIP SURGERY					
TYPE OF SURGERY:	TYPE OF SURGERY:					
DATE OF SURGERY:	DATE OF SURGERY:					
RESIDUALS OF ARTHROSCOPIC OR OTHER HIP SURGERY	RESIDUALS OF ARTHROSCOPIC OR OTHER HIP SURGERY					
DESCRIBE RESIDUALS:	DESCRIBE RESIDUALS:					
SECTION XI - OTHER PERTINENT PHYSICAL FINDINGS, COMP	PLICATIONS, CONDITIONS, SIGNS, SYMPTOMS AND SCARS					
11A. DOES THE VETERAN HAVE ANY OTHER PERTINENT PHYSICAL FINDINGS, CO	·					
(surgical or otherwise) RELATED TO ANY CONDITIONS OR TO THE TREATMEN						
YES X NO IF YES, COMPLETE QUESTIONS 11B-11D.						
44D DODG THE VETERAN HAVE ANY OTHER REPTINENT DIVISION CINIDINGS OF	OMBLICATIONS CONDITIONS SIGNS OF SYMPTOMS BELATER TO ANY					
11B. DOES THE VETERAN HAVE ANY OTHER PERTINENT PHYSICAL FINDINGS, CO CONDITIONS LISTED IN THE DIAGNOSIS SECTION ABOVE?	JMPLICATIONS, CONDITIONS, SIGNS OR SYMPTOMS RELATED TO ANY					
YES NO IF YES, DESCRIBE (brief summary):						
11C. DOES THE VETERAN HAVE ANY SCARS (surgical or otherwise) RELATED TO A THE DIAGNOSIS SECTION ABOVE?	ANY CONDITIONS OR TO THE TREATMENT OF ANY CONDITIONS LISTED IN					
YES NO						
IF YES, ARE ANY OF THESE SCARS PAINFUL OR UNSTABLE; HAVE A TOTAL AREA	A FOLIAL TO OR OREATER THAN 30 SOLIARE CM (6 square inches): OR ARE					
LOCATED ON THE HEAD, FACE OR NECK?	TEQUAL TO ON GIVEN THAN 30 SQUARE ON (O Square menes), SIVARE					
YES NO IF YES, ALSO COMPLETE VA FORM 21-0960F-1, SCARS	/DISFIGUREMENT.					
IF NO, PROVIDE LOCATION AND MEASUREMENTS OF SCAR IN CENTIMETERS.						
Location: Measurements: length	cm X width cm.					
NOTE: An "unstable scar" is one where, for any reason, there is frequent loss of cover						
and measurements in Comment section below. It is not necessary to also complete a So	cars DBQ.					
11D. COMMENTS, IF ANY:						
SECTION XII - ASSI	ISTIVE DEVICES					
12A. DOES THE VETERAN USE ANY ASSISTIVE DEVICES AS A NORMAL MODE OF						
MAY BE POSSIBLE?						
YES NO IF YES, IDENTIFY ASSISTIVE DEVICES USED (check all th	at apply and indicate frequency):					
Wheelchair Frequency of use: Occasional	X Regular Constant					
Brace Frequency of use: Occasional						
Crutches Frequency of use: Occasional	Regular Constant					
Cane Frequency of use: Occasional						
Walker Frequency of use: Occasional	Regular Constant					
Other: Frequency of use: Occasional	Regular Constant					
12B. IF THE VETERAN USES ANY ASSISTIVE DEVICES, SPECIFY THE CONDITION A	AND IDENTIFY THE ASSISTIVE DEVICE USED FOR EACH CONDITIONS					
120. II THE VETERAN USES ANT ASSISTIVE DEVICES, SPECIFY THE CUNDITION /	AND IDENTIFE THE ASSISTIVE DEVICE USED FOR EACH CONDITION:					

SECTION XIII - REMAINING EFFECTIVE FUNCTION OF THE EXTREMITIES
13. DUE TO THE VETERAN'S HIP OR THIGH CONDITIONS, IS THERE FUNCTIONAL IMPAIRMENT OF AN EXTREMITY SUCH THAT NO EFFECTIVE FUNCTIONS REMAIN OTHER THAN THAT WHICH WOULD BE EQUALLY WELL SERVED BY AN AMPUTATION WITH PROSTHESIS? (Functions of the upper extremity include grasping, manipulation, etc., while functions for the lower extremity include balance and propulsion, etc.)
YES, FUNCTIONING IS SO DIMINISHED THAT AMPUTATION WITH PROTHESIS WOULD EQUALLY SERVE THE VETERAN.
⊠ NO □
IF YES, INDICATE EXTREMITIES FOR WHICH THIS APPLIES: RIGHT LOWER LEFT LOWER
FOR EACH CHECKED EXTREMITY, IDENTIFY THE CONDITION CAUSING LOSS OF FUNCTION, DESCRIBE LOSS OF EFFECTIVE FUNCTION AND PROVIDE SPECIFIC EXAMPLES (brief summary):
NOTE: The intention of this section is to permit the examiner to quantify the level of remaining function; it is not intended to inquire whether the Veteran should undergo an amputation with fitting of a prothesis. For example, if the functions of grasping (hand) or propulsion (foot) are as limited as if the Veteran had an amputation and prosthesis, the examiner should check "yes" and describe the diminished functioning. The question simply asks whether the functional loss is to the same degree as if there were an amputation of the affected limb.
SECTION XIV - DIAGNOSTIC TESTING
NOTE: Testing listed below is not indicated for every condition. The diagnosis of degenerative arthritis (osteoarthritis) or traumatic arthritis must be confirmed by imaging studies. Once such arthritis has been documented, even if in the past, no further imaging studies are required by VA, even if arthritis has worsened.
14A. HAVE IMAGING STUDIES OF THE HIP OR THIGH BEEN PERFORMED AND ARE THE RESULTS AVAILABLE? YES X NO
IF YES, IS DEGENERATIVE OR TRAUMATIC ARTHRITIS DOCUMENTED?
YES NO IF YES, INDICATE HIP: RIGHT LEFT BOTH
14B. ARE THERE ANY OTHER SIGNIFICANT DIAGNOSTIC TEST FINDINGS OR RESULTS?
YES NO IF YES, PROVIDE TYPE OF TEST OR PROCEDURE, DATE AND RESULTS (brief summary):
14C. IS THERE OBJECTIVE EVIDENCE OF CREPITUS?
☐ YES ⊠ NO IF YES, INDICATE HIP: ☐ RIGHT ☐ LEFT ☐ BOTH
14D. IF ANY TEST RESULTS ARE OTHER THAN NORMAL, INDICATE RELATIONSHIP OF ABNORMAL FINDINGS TO DIAGNOSED CONDITIONS:
SECTION XV - FUNCTIONAL IMPACT
NOTE: Provide the impact of only the diagnosed condition(s), without consideration of the impact of other medical conditions or factors, such as age.
15. REGARDLESS OF THE VETERAN'S CURRENT EMPLOYMENT STATUS, DO THE CONDITION(S) LISTED IN THE DIAGNOSIS SECTION IMPACT HIS OR HER ABILITY TO PERFORM ANY TYPE OF OCCUPATIONAL TASK (such as standing, walking, lifting, sitting, etc.)?
YES X NO IF YES, DESCRIBE THE FUNCTIONAL IMPACT OF EACH CONDITION, PROVIDING ONE OR MORE EXAMPLES:

		SECTION XVI - REMARKS		
16. REMARKS, IF ANY:				
		PHYSICIAN'S CERTIFICATION		
CERTIFICATION - To the best of my k	nowledge, the in			
17A. PHYSICIAN'S SIGNATURE		17B. PHYSICIAN'S PRINTED NAM	ΛE	17C. DATE SIGNED
17D. PHYSICIAN'S PHONE NUMBER	17E. PHYSICIAN	I 'S MEDICAL LICENSE NUMBER	17F. PHYSICIAN'S ADD	RESS
NOTE: VA may request additional medical inf	ormation, includin	g additional examinations, if necess	ary to complete VA's review of the	ne veteran's application.
IMPORTANT - Physician please fax the	completed form	(VA Regional Office I	FAX No.)	
NOTE: A list of VA Regional Office FAX Nu	mbers can be found			27-1000
PRIVACY ACT NOTICE: VA will not disclose in				

PRIVACY ACT NOTICE: VA will not disclose information collected on this form to any source other than what has been authorized under the Privacy Act of 1974 or Title 38, Code of Federal Regulations 1.576 for routine uses (i.e., civil or criminal law enforcement, congressional communications, epidemiological or research studies, the collection of money owed to the United States, litigation in which the United States is a party or has an interest, the administration of VA programs and delivery of VA benefits, verification of identity and status, and personnel administration) as identified in the VA system of records, 58/VA21/22/28, Compensation, Pension, Education and Vocational Rehabilitation and Employment Records - VA, published in the Federal Register. Your obligation to respond is required to obtain or retain benefits. VA uses your SSN to identify your claim file. Providing your SSN will help ensure that your records are properly associated with your claim file. Giving us your SSN account information is voluntary. Refusal to provide your SSN by itself will not result in the denial of benefits. VA will not deny an individual benefits for refusing to provide his or her SSN unless the disclosure of the SSN is required by a Federal Statute of law in effect prior to January 1, 1975, and still in effect. The requested information is considered relevant and necessary to determine maximum benefits under the law. The responses you submit are considered confidential (38 U.S.C. 5701). Information submitted is subject to verification through computer matching programs with other agencies.

RESPONDENT BURDEN: We need this information to determine entitlement to benefits (38 U.S.C. 501). Title 38, United States Code, allows us to ask for this information. We estimate that you will need an average of 30 minutes to review the instructions, find the information, and complete the form. VA cannot conduct or sponsor a collection of information unless a valid OMB control number is displayed. You are not required to respond to a collection of information if this number is not displayed. Valid OMB control numbers can be located on the OMB Internet Page at www.reginfo.gov/public/do/PRAMain. If desired, you can call 1-800-827-1000 to get information on where to send comments or suggestions about this form.