

Department of Veterans Affairs **KNEE AND LOWER LEG CONDITIONS DISABILITY BENEFITS QUESTIONNAIRE**

IMPORTANT - THE DEPARTMENT OF VETERANS AFFAIRS (VA) WILL NOT PAY OR REIMBURSE ANY EXPENSES OR COST INCURRED IN THE PROCESS OF COMPLETING AND/OR SUBMITTING THIS FORM. PLEASE READ THE PRIVACY ACT AND RESPONDENT BURDEN INFORMATION ON REVERSE BEFORE COMPLETING FORM.

NAME OF PATIENT/VETERAN	PATIENT/VETERAN'S SOCIAL SECURITY NUMBER
-------------------------	--

NOTE TO PHYSICIAN - The veteran or service member is applying to the U.S. Department of Veterans Affairs (VA) for disability benefits. VA will consider the information you provide on this questionnaire as part of their evaluation in processing the claim. VA reserves the right to confirm the authenticity of ALL DBQs completed by private health care providers.

MEDICAL RECORD REVIEW

WAS THE VETERAN'S VA CLAIMS FILE REVIEWED?

YES NO

IF YES, LIST ANY RECORDS THAT WERE REVIEWED BUT WERE NOT INCLUDED IN THE VETERAN'S VA CLAIMS FILE:

IF NO, CHECK ALL RECORDS REVIEWED:

- | | |
|---|---|
| <input type="checkbox"/> Military service treatment records | <input type="checkbox"/> Department of Defense Form 214 Separation Documents |
| <input type="checkbox"/> Military service personnel records | <input type="checkbox"/> Veterans Health Administration medical records (<i>VA treatment records</i>) |
| <input type="checkbox"/> Military enlistment examination | <input type="checkbox"/> Civilian medical records |
| <input type="checkbox"/> Military separation examination | <input type="checkbox"/> Interviews with collateral witnesses (<i>family and others who have known the veteran before and after military service</i>) |
| <input type="checkbox"/> Military post-deployment questionnaire | <input type="checkbox"/> Other: _____ |
| <input type="checkbox"/> No records were reviewed | |

SECTION I - DIAGNOSIS

NOTE: These are condition(s) for which an evaluation has been requested on an exam request form (Internal VA) or for which the Veteran has requested medical evidence be provided for submission to VA.

1A. LIST THE CLAIMED CONDITION(S) THAT PERTAIN TO THIS DBQ:

NOTE: These are the diagnoses determined during this current evaluation of the claimed condition(s) listed above. If there is no diagnosis, if the diagnosis is different from a previous diagnosis for this condition, or if there is a diagnosis of a complication due to the claimed condition, explain your findings and reasons in comments section. Date of diagnosis can be the date of the evaluation if the clinician is making the initial diagnosis, or an approximate date determined through record review or reported history.

1B. SELECT DIAGNOSES ASSOCIATED WITH THE CLAIMED CONDITION(S) (*Check all that apply*):

- The Veteran does not have a current diagnosis associated with any claimed condition listed above. (*Explain your findings and reasons in comments section.*)
- | | | | |
|---|---|-----------------|--------------------------|
| <input type="checkbox"/> Knee strain | Side affected: <input type="checkbox"/> Right <input type="checkbox"/> Left <input type="checkbox"/> Both | ICD Code: _____ | Date of diagnosis: _____ |
| <input type="checkbox"/> Knee tendonitis/tendonsis | Side affected: <input type="checkbox"/> Right <input type="checkbox"/> Left <input type="checkbox"/> Both | ICD Code: _____ | Date of diagnosis: _____ |
| <input type="checkbox"/> Knee meniscal tear | Side affected: <input type="checkbox"/> Right <input type="checkbox"/> Left <input type="checkbox"/> Both | ICD Code: _____ | Date of diagnosis: _____ |
| <input type="checkbox"/> Knee anterior cruciate ligament tear | Side affected: <input type="checkbox"/> Right <input type="checkbox"/> Left <input type="checkbox"/> Both | ICD Code: _____ | Date of diagnosis: _____ |
| <input type="checkbox"/> Knee posterior cruciate ligament tear | Side affected: <input type="checkbox"/> Right <input type="checkbox"/> Left <input type="checkbox"/> Both | ICD Code: _____ | Date of diagnosis: _____ |
| <input type="checkbox"/> Patellar or quadriceps tendon rupture | Side affected: <input type="checkbox"/> Right <input type="checkbox"/> Left <input type="checkbox"/> Both | ICD Code: _____ | Date of diagnosis: _____ |
| <input type="checkbox"/> Knee joint osteoarthritis | Side affected: <input type="checkbox"/> Right <input type="checkbox"/> Left <input type="checkbox"/> Both | ICD Code: _____ | Date of diagnosis: _____ |
| <input type="checkbox"/> Knee joint ankylosis | Side affected: <input type="checkbox"/> Right <input type="checkbox"/> Left <input type="checkbox"/> Both | ICD Code: _____ | Date of diagnosis: _____ |
| <input type="checkbox"/> Knee fracture (<i>including patellar fracture</i>) | Side affected: <input type="checkbox"/> Right <input type="checkbox"/> Left <input type="checkbox"/> Both | ICD Code: _____ | Date of diagnosis: _____ |
| <input type="checkbox"/> Stress fracture of tibia | Side affected: <input type="checkbox"/> Right <input type="checkbox"/> Left <input type="checkbox"/> Both | ICD Code: _____ | Date of diagnosis: _____ |
| <input type="checkbox"/> Tibia and/or Fibula fracture | Side affected: <input type="checkbox"/> Right <input type="checkbox"/> Left <input type="checkbox"/> Both | ICD Code: _____ | Date of diagnosis: _____ |
| <input type="checkbox"/> Recurrent patellar dislocation | Side affected: <input type="checkbox"/> Right <input type="checkbox"/> Left <input type="checkbox"/> Both | ICD Code: _____ | Date of diagnosis: _____ |
| <input type="checkbox"/> Recurrent subluxation | Side affected: <input type="checkbox"/> Right <input type="checkbox"/> Left <input type="checkbox"/> Both | ICD Code: _____ | Date of diagnosis: _____ |
| <input type="checkbox"/> Knee instability | Side affected: <input type="checkbox"/> Right <input type="checkbox"/> Left <input type="checkbox"/> Both | ICD Code: _____ | Date of diagnosis: _____ |
| <input type="checkbox"/> Patellar dislocation | Side affected: <input type="checkbox"/> Right <input type="checkbox"/> Left <input type="checkbox"/> Both | ICD Code: _____ | Date of diagnosis: _____ |
| <input type="checkbox"/> Knee cartilage restoration surgery | Side affected: <input type="checkbox"/> Right <input type="checkbox"/> Left <input type="checkbox"/> Both | ICD Code: _____ | Date of diagnosis: _____ |
| <input type="checkbox"/> Shin splints (<i>including tibia and/or fibula stress fracture and/or exertional compartment syndrome</i>) | Side affected: <input type="checkbox"/> Right <input type="checkbox"/> Left <input type="checkbox"/> Both | ICD Code: _____ | Date of diagnosis: _____ |
| <input type="checkbox"/> Patellofemoral pain syndrome | Side affected: <input type="checkbox"/> Right <input type="checkbox"/> Left <input type="checkbox"/> Both | ICD Code: _____ | Date of diagnosis: _____ |

SECTION I - DIAGNOSIS (Continued)

1B. SELECT DIAGNOSES ASSOCIATED WITH THE CLAIMED CONDITION(S) (Check all that apply) (Continued)

Other (specify)

Other diagnosis #1: _____

Side affected: Right Left Both ICD Code: _____ Date of diagnosis: _____

Other diagnosis #2: _____

Side affected: Right Left Both ICD Code: _____ Date of diagnosis: _____

Other diagnosis #3: _____

Side affected: Right Left Both ICD Code: _____ Date of diagnosis: _____

1C. COMMENTS (if any):

1D. WAS AN OPINION REQUESTED ABOUT THIS CONDITION (internal VA only)?

YES NO N/A

SECTION II - MEDICAL HISTORY

2A. DESCRIBE THE HISTORY (including onset and course) OF THE VETERAN'S KNEE AND/OR LOWER LEG CONDITION (brief summary):

2B. DOES THE VETERAN REPORT THAT FLARE-UPS IMPACT THE FUNCTION OF THE KNEE AND/OR LOWER LEG?

YES NO

IF YES, DOCUMENT THE VETERAN'S DESCRIPTION OF THE IMPACT OF FLARE-UPS IN HIS OR HER OWN WORDS:

2C. DOES THE VETERAN REPORT HAVING ANY FUNCTIONAL LOSS OR FUNCTIONAL IMPAIRMENT OF THE JOINT OR EXTREMITY BEING EVALUATED ON THIS DBQ (regardless of repetitive use)?

YES NO

IF YES, DOCUMENT THE VETERAN'S DESCRIPTION OF FUNCTIONAL LOSS OR FUNCTIONAL IMPAIRMENT IN HIS OR HER OWN WORDS:

SECTION III - INITIAL RANGE OF MOTION (ROM) MEASUREMENTS

Measure ROM with a goniometer. During the examination be cognizant of painful motion, which could be evidenced by visible behavior such as facial expression, wincing, etc..., on pressure or manipulation. Document painful movement in Section 5.

Following the initial assessment of ROM, perform repetitive use testing. For VA purposes, repetitive use testing must be included in all joint exams. The VA has determined that 3 repetitions of ROM (at a minimum) can serve as a representative test of the effect of repetitive use. After the initial measurement, reassess ROM after 3 repetitions. Report post-test measurements in question 4A.

3A. INITIAL ROM MEASUREMENTS

Knee	Joint Movement	ROM Measurement	If ROM testing is not indicated for the veteran's condition or not able to be performed, please explain why, and then proceed to Section 5:
RIGHT KNEE	Flexion (normal endpoint = 140 degrees)	<input type="checkbox"/> Not indicated <input type="checkbox"/> Not able to perform	
	Extension	<input type="checkbox"/> Not indicated <input type="checkbox"/> Not able to perform	
LEFT KNEE	Flexion (normal endpoint = 140 degrees)	<input type="checkbox"/> Not indicated <input type="checkbox"/> Not able to perform	
	Extension	<input type="checkbox"/> Not indicated <input type="checkbox"/> Not able to perform	

SECTION III - INITIAL RANGE OF MOTION (ROM) MEASUREMENTS (Continued)

3B. DO ANY ABNORMAL ROMs NOTED ABOVE CONTRIBUTE TO FUNCTIONAL LOSS?

- YES (you will be asked to further describe these limitation in Section 6 below)
 NO, EXPLAIN WHY THE ABNORMAL ROMs DO NOT CONTRIBUTE:

3C. IF ROM DOES NOT CONFORM TO THE NORMAL RANGE OF MOTION IDENTIFIED ABOVE BUT IS NORMAL FOR THIS VETERAN (for reasons other than a knee condition, such as age, body habitus, neurologic disease), EXPLAIN:

SECTION IV - ROM MEASUREMENTS AFTER REPETITIVE USE TESTING

4A. POST-TEST ROM MEASUREMENTS

Knee	Is the veteran able to perform repetitive-use testing?	Is there additional limitation in ROM after repetitive-use testing?	Joint Movement	Post-test ROM Measurement
RIGHT KNEE	<input type="checkbox"/> Yes If yes, perform repetitive-use testing <input type="checkbox"/> No If no, provide reason below, then proceed to Section 6	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No, there is no change in ROM after repetitive testing If yes, report ROM after a minimum of 3 repetitions. If no, documentation of ROM after repetitive-use testing is not required.	Flexion	_____
			Extension	_____
LEFT KNEE	<input type="checkbox"/> Yes If yes, perform repetitive-use testing <input checked="" type="checkbox"/> No If no, provide reason below, then proceed to Section 6	<input type="checkbox"/> Yes <input type="checkbox"/> No, there is no change in ROM after repetitive testing If yes, report ROM after a minimum of 3 repetitions. If no, documentation of ROM after repetitive-use testing is not required.	Flexion	_____
			Extension	_____

4B. DO ANY POST-TEST ADDITIONAL LIMITATIONS OF ROMs NOTED ABOVE CONTRIBUTE TO FUNCTIONAL LOSS?

- YES (you will be asked to further describe these limitations in Section 6 below)
 NO, EXPLAIN WHY THE POST-TEST ADDITIONAL LIMITATIONS OF ROMs DO NOT CONTRIBUTE:

SECTION V - PAIN

5A. ROM MOVEMENTS PAINFUL ON ACTIVE, PASSIVE AND/OR REPETITIVE USE TESTING

Knee	Are any ROM movements painful on active, passive and/or repetitive use testing? <i>(If yes, identify whether active, passive, and/or repetitive use in question 5D)</i>	If yes (there are painful movements), does the pain contribute to functional loss or additional limitation of ROM?	If no (the pain does not contribute to functional loss or additional limitation of ROM), explain why the pain does not contribute:
RIGHT KNEE	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes (you will be asked to further describe these limitations in Section 6 below) <input type="checkbox"/> No	
LEFT KNEE	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes (you will be asked to further describe these limitations in Section 6 below) <input type="checkbox"/> No	

5B. PAIN WHEN USED IN WEIGHT-BEARING OR IN NON WEIGHT-BEARING

Knee	Is there pain when the joint is used in weight-bearing or non weight-bearing? <i>(If yes, identify whether weight-bearing or non weight-bearing in question 5D)</i>	If yes (there is pain when used in weight-bearing or non weight-bearing), does the pain contribute to functional loss or additional limitation of ROM?	If no (the pain does not contribute to functional loss or additional limitation of ROM), explain why the pain does not contribute:
RIGHT KNEE	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes (you will be asked to further describe these limitations in Section 6 below) <input checked="" type="checkbox"/> No	
LEFT KNEE	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes (you will be asked to further describe these limitations in Section 6 below) <input checked="" type="checkbox"/> No	

SECTION V - PAIN (Continued)

5C. LOCALIZED TENDERNESS OR PAIN ON PALPATION

Knee	Does the Veteran have localized tenderness or pain to palpation of joints or soft tissue?	If yes, describe including location, severity and relationship to condition(s) listed in the Diagnosis section:
RIGHT KNEE	<input type="checkbox"/> Yes <input type="checkbox"/> No	
LEFT KNEE	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	

5D. COMMENTS, IF ANY:

SECTION VI - FUNCTIONAL LOSS AND ADDITIONAL LIMITATION OF ROM

NOTE: The VA defines functional loss as the inability, due to damage or infection in parts of the system, to perform normal working movements of the body with normal excursion, strength, speed, coordination and/or endurance. As regards the joints, factors of disability reside in reductions of their normal excursion of movements in different planes.

Using information from the history and physical exam, select the factors below that contribute to functional loss or impairment (regardless of repetitive use) or to additional limitation of ROM after repetitive use for the joint or extremity being evaluated on this DBQ:

6A. CONTRIBUTING FACTORS OF DISABILITY (check all that apply and indicate side affected):

- No functional loss for left lower extremity attributable to claimed condition
- No functional loss for right lower extremity attributable to claimed condition
- Less movement than normal (due to ankylosis, limitation or blocking, adhesions, tendon-tie-ups, contracted scars, etc.) Right Left Both
- More movement than normal (from flail joints, resections, nonunion of fractures, relaxation of ligaments, etc.) Right Left Both
- Weakened movement (due to muscle injury, disease or injury of peripheral nerves, divided or lengthened tendons, etc.) Right Left Both
- Excess fatigability Right Left Both
- Incoordination, impaired ability to execute skilled movements smoothly Right Left Both
- Pain on movement Right Left Both
- Swelling Right Left Both
- Deformity Right Left Both
- Atrophy of disuse Right Left Both
- Instability of station Right Left Both
- Disturbance of locomotion Right Left Both
- Interference with sitting Right Left Both
- Interference with standing Right Left Both
- Other, describe:

NOTE: If any of the above factors is/are associated with limitation of motion, the examiner must give an opinion on whether pain, weakness, fatigability, or incoordination could significantly limit functional ability during flare-ups or when the joint is **used repeatedly over a period of time** and that opinion, if feasible, should be expressed in terms of the degree of additional ROM loss due to pain on use or during flare-ups. The following section will assist you in providing this required opinion.

6B. ARE ANY OF THE ABOVE FACTORS ASSOCIATED WITH LIMITATION OF MOTION?

- YES (If yes, complete questions 6C and 6D)
- NO (If no, proceed to question 6D)

SECTION VI - FUNCTIONAL LOSS AND ADDITIONAL LIMITATION OF ROM (Continued)

6C. CONTRIBUTING FACTORS OF DISABILITY ASSOCIATED WITH LIMITATION OF MOTION

Knee	Can pain, weakness, fatigability, or incoordination significantly limit functional ability during flare-ups or when the joint is used repeatedly over a period of time?	If yes, please estimate ROM due to pain and/or functional loss during flare-ups or when the joint is used repeatedly over a period of time:		If there is a functional loss due to pain, during flare-ups and/or when the joint is used repeatedly over a period of time but the limitation of ROM cannot be estimated, please describe the functional loss:
		Flexion	_____ <input type="checkbox"/> Est. ROM is not feasible	
RIGHT KNEE	<input type="checkbox"/> Yes <input type="checkbox"/> No	Flexion	_____ <input type="checkbox"/> Est. ROM is not feasible	
		Extension	_____ <input type="checkbox"/> Est. ROM is not feasible	
LEFT KNEE	<input type="checkbox"/> Yes <input type="checkbox"/> No	Flexion	_____ <input type="checkbox"/> Est. ROM is not feasible	
		Extension	_____ <input type="checkbox"/> Est. ROM is not feasible	

6D. CONTRIBUTING FACTORS OF DISABILITY NOT ASSOCIATED WITH LIMITATION OF MOTION

IS THERE ANY FUNCTIONAL LOSS (*not associated with limitation of motion*) DURING FLARE-UPS OR WHEN THE JOINT IS USED REPEATEDLY OVER A PERIOD OF TIME OR OTHERWISE?

RIGHT KNEE YES NO IF YES, DESCRIBE:

LEFT KNEE YES NO IF YES, DESCRIBE:

SECTION VII - MUSCLE STRENGTH TESTING

7A. MUSCLE STRENGTH - RATE STRENGTH ACCORDING TO THE FOLLOWING SCALE:

- 0/5 No muscle movement
- 1/5 Palpable or visible muscle contraction, but no joint movement
- 2/5 Active movement with gravity eliminated
- 3/5 Active movement against gravity
- 4/5 Active movement against some resistance
- 5/5 Normal strength

Knee	Flexion/Extension	Rate Strength	Is there a reduction in muscle strength?	If yes, is the reduction entirely due to the claimed condition in the Diagnosis section?	If no (the reduction is not entirely due to the claimed condition), provide rationale:
RIGHT KNEE	Flexion	/5	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
	Extension	/5			
LEFT KNEE	Flexion	/5	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	
	Extension	/5			

7B. DOES THE VETERAN HAVE MUSCLE ATROPHY?

YES NO

IF YES, IS THE MUSCLE ATROPHY DUE TO THE CLAIMED CONDITION IN THE DIAGNOSIS SECTION?

YES NO IF NO, PROVIDE RATIONALE:

FOR ANY MUSCLE ATROPHY DUE TO A DIAGNOSES LISTED IN SECTION 1, INDICATE SIDE AND SPECIFIC LOCATION OF ATROPHY, PROVIDING MEASUREMENTS IN CENTIMETERS OF NORMAL SIDE AND CORRESPONDING ATROPHIED SIDE, MEASURED AT MAXIMUM MUSCLE BULK.

LOCATION OF MUSCLE ATROPHY:

RIGHT LOWER EXTREMITY (*specify location of measurement such as "10cm above or below elbow"*):

CIRCUMFERENCE OF MORE NORMAL SIDE: _____ cm CIRCUMFERENCE OF ATROPHIED SIDE: _____ cm

LEFT LOWER EXTREMITY (*specify location of measurement such as "10cm above or below elbow"*):

CIRCUMFERENCE OF MORE NORMAL SIDE: _____ cm CIRCUMFERENCE OF ATROPHIED SIDE: _____ cm

7C. COMMENTS, IF ANY:

SECTION VIII - ANKYLOSIS

NOTE: Ankylosis is the immobilization and consolidation of a joint due to disease, injury or surgical procedure.

COMPLETE THIS SECTION IF THE VETERAN HAS ANKYLOSIS OF THE KNEE AND/OR LOWER LEG.

8A. INDICATE SEVERITY OF ANKYLOSIS AND SIDE AFFECTED (*check all that apply*):

RIGHT SIDE:

- Favorable angle in full extension or in slight flexion between 0 and 10 degrees
- In flexion between 10 and 20 degrees
- In flexion between 20 and 45 degrees
- Extremely unfavorable, in flexion at an angle of 45 degrees or more
- No ankylosis

LEFT SIDE:

- Favorable angle in full extension or in slight flexion between 0 and 10 degrees
- In flexion between 10 and 20 degrees
- In flexion between 20 and 45 degrees
- Extremely unfavorable, in flexion at an angle of 45 degrees or more
- No ankylosis

8B. INDICATE ANGLE OF ANKYLOSIS IN DEGREES:

RIGHT SIDE:

- N/A, no ankylosis of knee joint
- _____ degrees

LEFT SIDE:

- N/A, no ankylosis of knee joint
- _____ degrees

8C. COMMENTS, IF ANY:

SECTION IX - JOINT STABILITY TESTS

NOTE: Subluxation and lateral instability refers only to the knee joint itself (tibio-femoral) and not to the patello-femoral portion of the joint.

9A. IS THERE A HISTORY OF RECURRENT SUBLUXATION?

- Right: None Slight Moderate Severe
 Left: None Slight Moderate Severe

9B. IS THERE A HISTORY OF LATERAL INSTABILITY?

- Right: None Slight Moderate Severe
 Left: None Slight Moderate Severe

9C. IS THERE A HISTORY OF RECURRENT EFFUSION?

- YES NO IF YES, DESCRIBE:

9D. PERFORMANCE OF JOINT STABILITY TESTING

Knee	Was joint stability testing performed?	If joint stability testing was performed is there joint instability?	If yes (<i>joint stability testing was performed</i>), complete the section below:		
RIGHT KNEE	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Indicated <input type="checkbox"/> Indicated, but not able to perform If joint stability is indicated, but unable to test, provide reason:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Anterior instability (<i>Lachman test</i>)	<input type="checkbox"/> Normal <input checked="" type="checkbox"/> 1+(0-5 millimeters)	<input type="checkbox"/> 2+(5-10 millimeters) <input type="checkbox"/> 3+(10-15 millimeters)
			Posterior instability (<i>Posterior drawer test</i>)	<input type="checkbox"/> Normal <input checked="" type="checkbox"/> 1+(0-5 millimeters)	<input type="checkbox"/> 2+(5-10 millimeters) <input type="checkbox"/> 3+(10-15 millimeters)
			Medial instability (<i>Apply valgus pressure to knee in extension and with 30 degrees of flexion</i>):	<input type="checkbox"/> Normal <input checked="" type="checkbox"/> 1+(0-5 millimeters)	<input type="checkbox"/> 2+(5-10 millimeters) <input type="checkbox"/> 3+(10-15 millimeters)
			Lateral instability (<i>Apply valgus pressure to knee in extension and with 30 degrees of flexion</i>):	<input type="checkbox"/> Normal <input checked="" type="checkbox"/> 1+(0-5 millimeters)	<input type="checkbox"/> 2+(5-10 millimeters) <input type="checkbox"/> 3+(10-15 millimeters)
LEFT KNEE	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Indicated <input type="checkbox"/> Indicated, but not able to perform If joint stability is indicated, but unable to test, provide reason:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Anterior instability (<i>Lachman test</i>)	<input type="checkbox"/> Normal <input checked="" type="checkbox"/> 1+(0-5 millimeters)	<input type="checkbox"/> 2+(5-10 millimeters) <input type="checkbox"/> 3+(10-15 millimeters)
			Posterior instability (<i>Posterior drawer test</i>)	<input type="checkbox"/> Normal <input checked="" type="checkbox"/> 1+(0-5 millimeters)	<input type="checkbox"/> 2+(5-10 millimeters) <input type="checkbox"/> 3+(10-15 millimeters)
			Medial instability (<i>Apply valgus pressure to knee in extension and with 30 degrees of flexion</i>):	<input type="checkbox"/> Normal <input checked="" type="checkbox"/> 1+(0-5 millimeters)	<input type="checkbox"/> 2+(5-10 millimeters) <input type="checkbox"/> 3+(10-15 millimeters)
			Lateral instability (<i>Apply valgus pressure to knee in extension and with 30 degrees of flexion</i>):	<input type="checkbox"/> Normal <input checked="" type="checkbox"/> 1+(0-5 millimeters)	<input type="checkbox"/> 2+(5-10 millimeters) <input type="checkbox"/> 3+(10-15 millimeters)

SECTION IX - JOINT STABILITY TESTS (Continued)

9E. COMMENTS, IF ANY:

SECTION X - ADDITIONAL COMMENTS

10A. DOES THE VETERAN NOW HAVE OR HAS HE OR SHE EVER HAD RECURRENT PATELLAR DISLOCATION, "SHIN SPLINTS" (*medial tibial stress syndrome*), STRESS FRACTURES, CHRONIC EXERTIONAL COMPARTMENT SYNDROME OR ANY OTHER TIBIAL OR FIBULAR IMPAIRMENT?

YES NO

IF YES, INDICATE CONDITION AND COMPLETE THE APPROPRIATE SECTIONS BELOW:

RECURRENT PATELLAR DISLOCATION

IF CHECKED, INDICATE SEVERITY AND SIDE AFFECTED:

Right: None Slight Moderate Severe

Left: None Slight Moderate Severe

"SHIN SPLINTS" (*medial tibial stress syndrome*)

INDICATE SIDE AFFECTED: Right Left Both

Does this condition affect ROM of knee? Yes No (*If yes, complete ROM section of knee on this DBQ.*)

Does this condition affect ROM of ankle? Yes No (*If yes, complete VA form 21-0960M-2 ANKLE CONDITIONS to document ROM of ankle.*)

Describe current symptoms: _____

STRESS FRACTURE OF THE LOWER LEG

INDICATE SIDE AFFECTED: Right Left Both

Does this condition affect ROM of ankle? Yes No (*If yes, complete VA form 21-0960M-2 ANKLE CONDITIONS to document ROM of ankle.*)

Describe current symptoms: _____

CHRONIC EXERTIONAL COMPARTMENT SYNDROME (*an exercise-induced neuromuscular condition that can cause pain and swelling, especially after repetitive movements such as marching*)

INDICATE SIDE AFFECTED: Right Left Both

Does this condition affect ROM of ankle? Yes No (*If yes, complete VA form 21-0960M-2 ANKLE CONDITIONS to document ROM of ankle.*)

Describe current symptoms: _____

ACQUIRED AND/OR TRAUMATIC GENU RECURVATUM WITH OBJECTIVELY DEMONSTRATED WEAKNESS AND INSECURITY IN WEIGHT-BEARING.

INDICATE SIDE AFFECTED: Right Left Both

LEG LENGTH DISCREPANCY (*shortening of any bones of the lower extremity*)

(*If checked, provide length of each lower extremity in inches (to the nearest 1/4 inch) or centimeters measuring from the anterior superior iliac spine to the internal malleolus of the tibia.*)

Measurements: Right leg: _____ cm inches Left leg: _____ cm inches

For any leg length discrepancy, please describe the relationship to the conditions listed in the Diagnosis section above:

10B. COMMENTS, IF ANY:

SECTION XI - MENISCAL CONDITIONS

11A. DOES THE VETERAN NOW HAVE OR HAS HE OR SHE EVER HAD A MENISCUS (*semilunar cartilage*) CONDITION?

YES NO

(*If "Yes," indicate severity and frequency of symptoms, and side affected:*)

RIGHT SIDE:

- No current symptoms
- Meniscal dislocation
- Meniscal tear
- Frequent episodes of joint "locking"
- Frequent episodes of joint pain
- Frequent episodes of joint effusion
- Other

LEFT SIDE:

- No current symptoms
- Meniscal dislocation
- Meniscal tear
- Frequent episodes of joint "locking"
- Frequent episodes of joint pain
- Frequent episodes of joint effusion
- Other

11B. FOR ALL CHECKED BOXES ABOVE, DESCRIBE:

SECTION XII - SURGICAL PROCEDURES

12. INDICATE ANY SURGICAL PROCEDURES THAT THE VETERAN HAS HAD PERFORMED AND PROVIDE THE ADDITIONAL INFORMATION AS REQUESTED
(check all that apply):

RIGHT SIDE:

- TOTAL KNEE JOINT REPLACEMENT
DATE OF SURGERY: _____
RESIDUALS:
 None
 Intermediate degrees of residual weakness, pain or limitation of motion
 Chronic residuals consisting of severe painful motion or weakness
 Other, describe: _____

LEFT SIDE:

- TOTAL KNEE JOINT REPLACEMENT
DATE OF SURGERY: _____
RESIDUALS:
 None
 Intermediate degrees of residual weakness, pain or limitation of motion
 Chronic residuals consisting of severe painful motion or weakness
 Other, describe: _____

- MENISCECTOMY, ARTHROSCOPIC OR OTHER KNEE SURGERY NOT DESCRIBED ABOVE:
TYPE OF SURGERY: _____
DATE OF SURGERY: _____

- MENISCECTOMY, ARTHROSCOPIC OR OTHER KNEE SURGERY NOT DESCRIBED ABOVE:
TYPE OF SURGERY: _____
DATE OF SURGERY: _____

- RESIDUAL SIGNS OF SYMPTOMS DUE TO MENISCECTOMY, ARTHROSCOPIC OR OTHER KNEE SURGERY NOT DESCRIBED ABOVE:
DESCRIBE RESIDUALS: _____

- RESIDUAL SIGNS OF SYMPTOMS DUE TO MENISCECTOMY, ARTHROSCOPIC OR OTHER KNEE SURGERY NOT DESCRIBED ABOVE:
DESCRIBE RESIDUALS: _____

SECTION XIII - OTHER PERTINENT PHYSICAL FINDINGS, COMPLICATIONS, CONDITIONS, SIGNS, SYMPTOMS AND SCARS

13A. DOES THE VETERAN HAVE ANY OTHER PERTINENT PHYSICAL FINDINGS, COMPLICATIONS, CONDITIONS, SIGNS OR SYMPTOMS, OR ANY SCARS (surgical or otherwise) RELATED TO ANY CONDITIONS OR TO THE TREATMENT OF ANY CONDITIONS LISTED IN THE DIAGNOSIS SECTION ABOVE?

- YES NO IF YES, COMPLETE QUESTIONS 13B-13D.

13B. DOES THE VETERAN HAVE ANY OTHER PERTINENT PHYSICAL FINDINGS, COMPLICATIONS, CONDITIONS, SIGNS OR SYMPTOMS RELATED TO ANY CONDITIONS LISTED IN THE DIAGNOSIS SECTION ABOVE?

- YES NO IF YES, DESCRIBE (brief summary): _____

13C. DOES THE VETERAN HAVE ANY SCARS (surgical or otherwise) RELATED TO ANY CONDITIONS OR TO THE TREATMENT OF ANY CONDITIONS LISTED IN THE DIAGNOSIS SECTION ABOVE?

- YES NO

IF YES, ARE ANY OF THESE SCARS PAINFUL OR UNSTABLE; HAVE A TOTAL AREA EQUAL TO OR GREATER THAN 39 SQUARE CM (6 square inches); OR ARE LOCATED ON THE HEAD, FACE OR NECK?

- YES NO IF YES, ALSO COMPLETE VA FORM 21-0960F-1, SCARS/DISFIGUREMENT.

IF NO, PROVIDE LOCATION AND MEASUREMENTS OF SCAR IN CENTIMETERS.

LOCATION _____ MEASUREMENTS: length _____ cm X width _____ cm.

NOTE: An "unstable scar" is one where, for any reason, there is frequent loss of covering of the skin over the scar. If there are multiple scars, enter additional locations and measurements in Comment section below. It is not necessary to also complete a Scars DBQ.

13D. COMMENTS, IF ANY:

SECTION XIV - ASSISTIVE DEVICES

14A. DOES THE VETERAN USE ANY ASSISTIVE DEVICES AS A NORMAL MODE OF LOCOMOTION, ALTHOUGH OCCASIONAL LOCOMOTION BY OTHER METHODS MAY BE POSSIBLE?

- YES NO

IF YES, IDENTIFY ASSISTIVE DEVICES USED (check all that apply and indicate frequency):

- | | | | | |
|---------------------------------------|-------------------|-------------------------------------|---|-----------------------------------|
| <input type="checkbox"/> Wheelchair | Frequency of use: | <input type="checkbox"/> Occasional | <input checked="" type="checkbox"/> Regular | <input type="checkbox"/> Constant |
| <input type="checkbox"/> Brace | Frequency of use: | <input type="checkbox"/> Occasional | <input type="checkbox"/> Regular | <input type="checkbox"/> Constant |
| <input type="checkbox"/> Crutches | Frequency of use: | <input type="checkbox"/> Occasional | <input checked="" type="checkbox"/> Regular | <input type="checkbox"/> Constant |
| <input type="checkbox"/> Cane | Frequency of use: | <input type="checkbox"/> Occasional | <input type="checkbox"/> Regular | <input type="checkbox"/> Constant |
| <input type="checkbox"/> Walker | Frequency of use: | <input type="checkbox"/> Occasional | <input checked="" type="checkbox"/> Regular | <input type="checkbox"/> Constant |
| <input type="checkbox"/> Other: _____ | Frequency of use: | <input type="checkbox"/> Occasional | <input checked="" type="checkbox"/> Regular | <input type="checkbox"/> Constant |

14B. IF THE VETERAN USES ANY ASSISTIVE DEVICES, SPECIFY THE CONDITION AND IDENTIFY THE ASSISTIVE DEVICE USED FOR EACH CONDITION:

SECTION XV - REMAINING EFFECTIVE FUNCTION OF THE EXTREMITIES

15. DUE TO THE VETERAN'S KNEE OR LOWER LEG CONDITION(S), IS THERE FUNCTIONAL IMPAIRMENT OF AN EXTREMITY SUCH THAT NO EFFECTIVE FUNCTIONS REMAIN OTHER THAN THAT WHICH WOULD BE EQUALLY WELL SERVED BY AN AMPUTATION WITH PROSTHESIS? (*Functions of the upper extremity include grasping, manipulation, etc., while functions for the lower extremity include balance and propulsion, etc.*)

- YES, FUNCTIONING IS SO DIMINISHED THAT AMPUTATION WITH PROSTHESIS WOULD EQUALLY SERVE THE VETERAN.
 NO

IF YES, INDICATE EXTREMITIES FOR WHICH THIS APPLIES: RIGHT LOWER LEFT LOWER

FOR EACH CHECKED EXTREMITY, IDENTIFY THE CONDITION CAUSING LOSS OF FUNCTION, DESCRIBE LOSS OF EFFECTIVE FUNCTION AND PROVIDE SPECIFIC EXAMPLES (*brief summary*):

NOTE: The intention of this section is to permit the examiner to quantify the level of remaining function; it is not intended to inquire whether the Veteran should undergo an amputation with fitting of a prosthesis. For example, if the functions of grasping (hand) or propulsion (foot) are as limited as if the Veteran had an amputation and prosthesis, the examiner should check "yes" and describe the diminished functioning. The question simply asks whether the functional loss is to the same degree as if there were an amputation of the affected limb.

SECTION XVI - DIAGNOSTIC TESTING

NOTE: Testing listed below is not indicated for every condition. The diagnosis of degenerative arthritis (osteoarthritis) or traumatic arthritis must be confirmed by imaging studies. Once such arthritis has been documented, even if in the past, no further imaging studies are required by VA, even if arthritis has worsened.

16A. HAVE IMAGING STUDIES OF THE KNEE BEEN PERFORMED AND ARE THE RESULTS AVAILABLE?

- YES NO

IF YES, IS DEGENERATIVE OR TRAUMATIC ARTHRITIS DOCUMENTED?

- YES NO IF YES, INDICATE KNEE: RIGHT LEFT BOTH

16B. ARE THERE ANY OTHER SIGNIFICANT DIAGNOSTIC TEST FINDINGS OR RESULTS?

- YES NO IF YES, PROVIDE TYPE OF TEST OR PROCEDURE, DATE AND RESULTS (*brief summary*):

16C. IS THERE OBJECTIVE EVIDENCE OF CREPITUS?

- YES NO IF YES, INDICATE KNEE: RIGHT LEFT BOTH

16D. IF ANY TEST RESULTS ARE OTHER THAN NORMAL, INDICATE RELATIONSHIP OF ABNORMAL FINDINGS TO DIAGNOSED CONDITIONS:

SECTION XVII - FUNCTIONAL IMPACT

NOTE: Provide the impact of only the diagnosed condition(s), without consideration of the impact of other medical conditions or factors, such as age.

17. REGARDLESS OF THE VETERAN'S CURRENT EMPLOYMENT STATUS, DO THE CONDITION(S) LISTED IN THE DIAGNOSIS SECTION IMPACT HIS OR HER ABILITY TO PERFORM ANY TYPE OF OCCUPATIONAL TASK (*such as standing, walking, lifting, sitting, etc.*)?

- YES NO IF YES, DESCRIBE THE FUNCTIONAL IMPACT OF EACH CONDITION, PROVIDING ONE OR MORE EXAMPLES:

SECTION XVIII - REMARKS

18. REMARKS, IF ANY:

SECTION XIX - PHYSICIAN'S CERTIFICATION AND SIGNATURE

CERTIFICATION - To the best of my knowledge, the information contained herein is accurate, complete and current.

19A. PHYSICIAN'S SIGNATURE		19B. PHYSICIAN'S PRINTED NAME	19C. DATE SIGNED
19D. PHYSICIAN'S PHONE NUMBER	19E. PHYSICIAN'S MEDICAL LICENSE NUMBER	19F. PHYSICIAN'S ADDRESS	

NOTE: VA may request additional medical information, including additional examinations, if necessary to complete VA's review of the veteran's application.

IMPORTANT - Physician please fax the completed form to _____
(VA Regional Office FAX No.)

NOTE: A list of VA Regional Office FAX Numbers can be found at www.vba.va.gov/disabilityexams or obtained by calling 1-800-827-1000.

PRIVACY ACT NOTICE: VA will not disclose information collected on this form to any source other than what has been authorized under the Privacy Act of 1974 or Title 38, Code of Federal Regulations 1.576 for routine uses (i.e., civil or criminal law enforcement, congressional communications, epidemiological or research studies, the collection of money owed to the United States, litigation in which the United States is a party or has an interest, the administration of VA programs and delivery of VA benefits, verification of identity and status, and personnel administration) as identified in the VA system of records, 58/VA21/22/28, Compensation, Pension, Education and Vocational Rehabilitation and Employment Records - VA, published in the Federal Register. Your obligation to respond is required to obtain or retain benefits. VA uses your SSN to identify your claim file. Providing your SSN will help ensure that your records are properly associated with your claim file. Giving us your SSN account information is voluntary. Refusal to provide your SSN by itself will not result in the denial of benefits. VA will not deny an individual benefits for refusing to provide his or her SSN unless the disclosure of the SSN is required by a Federal Statute of law in effect prior to January 1, 1975, and still in effect. The requested information is considered relevant and necessary to determine maximum benefits under the law. The responses you submit are considered confidential (38 U.S.C. 5701). Information submitted is subject to verification through computer matching programs with other agencies.

RESPONDENT BURDEN: We need this information to determine entitlement to benefits (38 U.S.C. 501). Title 38, United States Code, allows us to ask for this information. We estimate that you will need an average of 30 minutes to review the instructions, find the information, and complete the form. VA cannot conduct or sponsor a collection of information unless a valid OMB control number is displayed. You are not required to respond to a collection of information if this number is not displayed. Valid OMB control numbers can be located on the OMB Internet Page at www.reginfo.gov/public/do/PRAMain. If desired, you can call 1-800-827-1000 to get information on where to send comments or suggestions about this form.