

Route To: Watershed/Wastewater Waste Management
Remediation/Revelopment Other _____

Page _____ of _____

Facility/Project Name			License/Permit/Monitoring Number		Boring Number	
Boring Drilled By: Name of crew chief (first, last) and Firm First Name: _____ Last Name: _____			Date Drilling Started m / d / y y y y		Date Drilling Completed m / d / y y y y	
Firm: _____						
WI Unique Well No.	DNR Well ID No.	Well Name	Final Static Water Level _____ Feet MSL		Surface Elevation _____ Feet MSL	Borehole Diameter _____ inches
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Boring Location <input type="checkbox"/> State Plane _____ N, _____ E			Lat _____ ° ' "		Local Grid Location <input type="checkbox"/> N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W	
_____ 1/4 of _____ 1/4 of Section _____, T _____ N, R _____			Long _____ ° ' "		_____ Feet <input type="checkbox"/> S _____ Feet <input type="checkbox"/> W	
Facility ID		County	County Code	Civil Town/City/ or Village		

Sample		Blow Counts	Depth in Feet (Below ground surface)	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties					RQD/ Comments
Number and Type	Length Att. & Recovered (in)								Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature _____	Firm _____
-----------------	------------

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

**State of Wisconsin
Department of Natural Resources**

**Instructions
Soil Boring Log Information Forms
Form 4400-122, Form 4400-122A**

General Instructions:

Fill out a Soil Boring Log Information Form for every boring drilled. Be sure to indicate the page number and boring number in the blanks at the top of each page. All applicable portions of the Soil Boring Log Information Form must be properly completed. The form must be signed. Form 4400-122A must only be used as an attachment to form 4400-122.

Routing:

Return this form to the project manager or plan reviewer for the Department program that required the boring. If the project manager/plan reviewer is in a Regional Office, send the original to the Regional Office and a copy to the Central Office in Madison. If the project manager/plan reviewer is in the Central Office, send the original form there and a copy to the Regional Office. If your project does not have a project manager or plan reviewer or you do not know who it is, send the form to the appropriate program in the Central Office. Check the appropriate box at the top of the form to assure proper routing once the form reaches the Department.

Facility/Project Name: List the name of the landfill, wastewater treatment facility, surface impoundment, spill or project.

License/Permit/Monitoring Number: The number assigned by the Department to the facility where the boring was drilled. If unknown, leave blank.

Boring Number: The site boring number or name (e.g., B-1).

Boring Drilled By: The name (first and last) of the drilling crew chief and the drilling firm name.

Date Drilling Started: The date the boring was started in month/day/year (mm/dd/yyyy) format.

Date Drilling Completed: The date the boring was completed in month/day/year (mm/dd/yyyy) format.

Drilling Method: List drilling method used: solid stem auger, hollow stem auger, rotary (air or mud), reverse rotary, cable tool, wash boring, vibratory, etc.

Wisconsin Unique Well Number: If a well is to be set in the boring, fill in the 2 alphabetic 3 numeric Wisconsin Unique Well Number (WUWN) on this form. In addition, attach a WUWN tag to the inside of the protective cover pipe and record that number on the Monitoring Well Construction Form 4400-113A and Monitoring Well Development Form 4400-113B. WUWN tags are available from the DNR Central or Regional Offices.

DNR Well ID Number: The 3 digit number assigned to the well by the Department.

Well Name: If a well is constructed, fill in common well name, such as B-II, OW-13A, or MW-5R. (Use the suffix "R" for a replacement well.)

Final Static Water Level: The static water level in the borehole in tenths (0.1) of feet above mean sea level prior to abandonment or well construction.

Surface Elevation: The surface elevation of the ground surface at the borehole in tenths (0.1) of feet above mean sea level referenced to the closest USGS benchmark.

Borehole Diameter: The diameter of the borehole in tenths (0.1) of inches.

Local Grid Origin or Boring Location: Check the appropriate box behind the Local Grid Origin or the Boring Location text. Locate the grid origin at a permanent feature near the waste or source of contamination. Give the location in State Plane Coordinates or Latitude and Longitude in degrees, minutes and seconds (using 1927 North American Datum). If State Plane Coordinates are used, circle the appropriate letter for south, central, or north zone. Alternately, an acceptable method for providing this information

without surveying is to locate the Grid Origin on a USGS 7.5 minute quadrangle map. The Location of the Grid Origin can then be interpolated (estimated) using standard cartographic techniques. If the Grid Origin location is estimated, check the estimated box.

The boring location can be determined by surveying or by Global Positioning System (GPS) (with processing to be accurate within 1 foot and reported with precision to hundredths of a second). If the exact location or the boring is given in State Plane Coordinates, then leave the Local Grid Location fields blank.

Section Location of Waste/Source: Enter the quarter quarter section, quarter section, section, township, range and range direction.

Local Grid Location: The location of the boring to the nearest foot, in relation to the grid origin established for the site. If the exact location or the boring is given in State Plane Coordinates, then leave these fields blank.

Facility ID: Fill in the Facility ID (FID) assigned to the site.

County: The county in which the boring is located.

County Code: The two-digit Department county code. (The code is based alphabetically with Adams County 01 and Wood County 72 and can be found on the map included with the Monitoring Well Construction form instructions.)

Civil Town/City/or Village: The municipality in which the boring is located.

Sample Number: The number used to identify the sample. Indicate the type of sampling apparatus used (i.e. split spoon/ss, Shelby tube/st, grab/gs, piston sampler/ps, core/cs, cuttings/cu). Note the diameter of the sampler in Comments column.

Sample Length Attempted and Recovered: The length of sample attempted and the length of sample recovered reported in inches.

Blow Counts: The number of blow counts per specified length.

Depth: Indicate the depth (below ground surface) of sample collection and depth of any changes in the soil or rock type encountered.

Soil/Rock Description and Geologic Origin: List visual characteristics of soil/rock noted during boring along with any pertinent descriptive remarks. Each major soil unit and bedrock formation shall be described using both subsurface investigations and regional information. Indicate likely geologic origin and Munsell color of the material.

USCS: Indicate the Unified Soil Classification System classification of any unconsolidated units or rock type encountered during boring.

Graphic Log: Graphically illustrate soil/rock types encountered through the depth of boring and provide a key for the symbols used. Indicate the total depth of the boring on the log.

Well Diagram: Graphically show the well casing, well screen length(s), and the location of the top of the filter pack(s) if the boring is converted into a well.

PID/FID: Measurements performed on samples using a Photo-Ionization Detector or a Flame Ionization Detector. Indicate in the Comments column the type of detector and the method used.

Soil Properties:

Compressive Strength - Standard measurements in tons/ft. Indicate in the Comments column the type of test used.

Moisture Content - Laboratory measurements of percent moisture content.

Liquid Limit - Measurement in percent.

Plasticity Index - Measurement in percent.

P 200 - Measurement of percentage of soils smaller than the #200 sieve.

RQD/Comments: Where boring penetrates bedrock, indicate the Rock Quality Designation of the sample. Otherwise, place all comments or remarks in this column and the adjacent margin.